

# Tiandy

لیست قیمت رسمی (مستان ۱۴۰۱)

تارتن دژ آریانا

نماینده مرکزی محصولات تیاندی

تمامی کالاها دارای ۳۶ ماه گارانتی معتبر

۰۲۱-۹۱۰۰۹۵۵۵

۰۹۹۳-۳۲۴۰۸۹۹





## تیاندی (Tiandy)

- دارنده رتبه هفتم جهان
- اولین ارائه دهنده فناوری Starlight (دید در شب رنگی)
- پیشرو در ارائه خدمات و محصولات هوشمند

## ویژگی های برند تیاندی:

- انتقال تصویر آسان (P2P) بدون نیاز به IP استاتیک ✓
- دارای 3 سال گارانتی شرکت پارس ارتباط ✓
- دارای خط تولید در داخل کشور ✓
- مورد تایید سازمان ها و ارگان های دولتی ✓
- بهترین کیفیت با قیمت مناسب ✓
- پشتیبانی از پروتکل ONVIF ✓
- دید در شب رنگی با حداقل لوکس نوری (0.0008) ✓



	1	2	3	4	5	6
Tiandy	TC-C32GN	TC-C32GS	TC-C32WS	TC-C32WP	TC-C32WP	TC-C32WP
	I5/E/Y/C/2.8mm	I5/E/Y/C/SD/2.8mm	I5/E/Y/M/4mm/V4.0	I5/E/M/Y/4mm	W/E/Y/4mm	W/E/Y/2.8mm

**Tiandy**



Price (Rials)	۱۵,۲۲۰,۰۰۰	۱۸,۷۰۰,۰۰۰	۴۲,۰۸۰,۰۰۰	۳۵,۸۶۰,۰۰۰	۲۷,۷۳۰,۰۰۰	۲۷,۷۳۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Max Resolution	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)
Sensor Size	1/2.8"	1/2.8"	1/2.8"	1/2.8"	1/2.8"	1/2.8"
Lens	2.8mm	2.8mm	4mm	4mm	4mm	2.8mm
Viewing Angle	99.7°	99.7°	85.1°	83.3°	83.3°	99.7°
Night Vision Distance	IR 50 M	IR 50 M	IR 50 M	IR 50 M	Warm Light 15~20M	Warm Light 15~20M
Dynamic Range	DWDR	WDR 120db	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	Yes	Yes	Yes	Yes
SD Card Support	No	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)
Reset Button	N/A	N/A	Yes	Yes	Yes	Yes
Video Compression	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264/M-JPEG	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264
Protection	IP67	IP67	IP67	IP67	IP66	IP67
VCA	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Parking, People Counting, Crowded, On Duty Detection, Video Abnormal, Audio Abnormal, Heatmap, Face Capture(Face Detection), Human/Vehicle Classification	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter
Click for Details	<a href="#">TC-C32GN</a>	<a href="#">TC-C32GS</a>	<a href="#">TC-C32WS</a>	<a href="#">TC-C32WP</a>	<a href="#">TC-C32WP/W</a>	<a href="#">TC-C32WP/W</a>

	7	8	9	10	11	12
<b>Tiandy</b>	<b>TC-C32HN</b>	<b>TC-C32HS</b>	<b>TC-C32XP</b>	<b>TC-C34WS</b>	<b>TC-C34WS</b>	<b>TC-C34GN</b>
	I3/E/Y/C/2.8mm/V4.0	I3/E/Y/C/SD/2.8mm	W/E/Y/2.8mm/V4.0	I5/E/Y/M/2.8mm	I5/E/Y/M/4mm	I5/E/Y/C/2.8mm

**Tiandy**



<b>Price (Rials)</b>	۱۵,۲۲۰,۰۰۰	۱۸,۷۰۰,۰۰۰	۳۱,۴۶۰,۰۰۰	۳۹,۲۰۰,۰۰۰	۳۹,۲۰۰,۰۰۰	۲۰,۲۹۰,۰۰۰
<b>Camera Type</b>	Dome	Dome	Dome	Bullet	Bullet	Bullet
<b>Max Resolution</b>	2MP(1920×1080@25fps)	2MP(1920×1080@30fps)	2MP(1920×1080@25fps)	4MP(2560×1440@25fps)	4MP(2560×1440@25fps)	4MP(2592×1520@25fps)
<b>Sensor Size</b>	1/2.9"	1/2.8"	1/2.8"	1/2.8"	1/2.8"	1/2.7"
<b>Lens</b>	2.8mm	2.8mm	2.8mm	2.8mm	4mm	2.8mm
<b>Viewing Angle</b>	97.4°	99.7°	99.7°	92.1°	76.7°	103.4°
<b>Night Vision Distance</b>	IR 30 M	IR 30 M	Warm Light 15~20M	IR 50 M	IR 50 M	IR 50 M
<b>Dynamic Range</b>	DWDR	WDR 120db	WDR 120db	WDR 120db	WDR 120db	DWDR
<b>Built in Mic</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>SD Card Support</b>	No	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)	No
<b>Reset Button</b>	N/A	N/A	Yes	Yes	Yes	N/A
<b>Video Compression</b>	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264
<b>Protection</b>	IP66	IP66	IP67	IP67	IP67	IP67
<b>VCA</b>	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter
<b>Click for Details</b>	<a href="#">TC-C32HN</a>	<a href="#">TC-C32HS</a>	<a href="#">TC-C32XP</a>	<a href="#">TC-C34WS</a>	<a href="#">TC-C34WS</a>	<a href="#">TC-C34GN</a>

	13	14	15	16	17	18
Tiandy	TC-C34GS	TC-C34GS	TC-C34WP	TC-C34LP	TC-C34KS	TC-C34HN
	I5/E/Y/C/4mm/V4.0	I5/E/Y/C/SD/2.8mm	W/E/Y/M/4mm/V4.0	I5/A/E/M/H/2.7-13.5mm	I3/E/Y/2.8mm	I3/E/Y/C/2.8mm

**Tiandy**



Price (Rials)	۲۵,۳۴۰,۰۰۰	۲۵,۳۴۰,۰۰۰	۴۲,۰۸۰,۰۰۰	۱۱۸,۰۹۰,۰۰۰	۳۶,۳۴۵,۰۰۰	۲۰,۲۹۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet	Dome	Dome
Max Resolution	4MP(2560x1440@25fps)	4MP(2560x1440@25fps)	4MP(2592x1520@25fps)	4MP(2592x1520@30fps)	4MP(2560x1440@25fps)	4MP(2560x1440@15fps)
Sensor Size	1/2.7"	1/2.7"	1/2.8"	1/1.8"	1/2.8"	1/2.7"
Lens	4mm	2.8mm	4mm	Motorized 2.7-13.5mm	2.8mm	2.8mm
Viewing Angle	88.2°	103.4°	78°	114°~497°	92.1°	99.7°
Night Vision Distance	IR 50 M	IR 50 M	Warm Light 15~20M	SuperStarlight/IR 80M	IR 30 M	IR 30 M
Dynamic Range	DWDR	DWDR	WDR 120db	WDR 140db	WDR 120db	DWDR
Built in Mic	Yes	Yes	Yes	Yes	Yes	Yes
SD Card Support	No	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)	No
Reset Button	N/A	N/A	Yes	Yes	Yes	N/A
Video Compression	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264/M-JPEG	S+265/H.265/H.264	S+265/H.265/H.264
Protection	IP67	IP67	IP67	IP67,IK10	IP67,IK10	IP66
VCA	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Parking, Crowded, People Counting, On Duty Detection, Video Abnormal, Audio Abnormal, Heatmap, Face Capture(Face Detection), Safety Helmet Detection, Human/Vehicle Classification	Tripwire, Perimeter	Tripwire, Perimeter
Click for Details	<a href="#">TC-C34GS</a>	<a href="#">TC-C34GS</a>	<a href="#">TC-C34WP</a>	<a href="#">TC-C34LP</a>	<a href="#">TC-C34KS</a>	<a href="#">TC-C34HN</a>

	19	20	21	22	23	24
<b>Tiandy</b>	<b>TC-C34HS</b>	<b>TC-C34HS</b>	<b>TC-C34XP</b>	<b>TC-C35US</b>	<b>TC-C35TS</b>	<b>TC-C35KS</b>
	I3/E/Y/C/2.8mm/V4.0	I3/E/Y/C/SD/2.8mm	W/E/Y/M/2.8mm/V4.0	I8/A/E/Y/M/2.8-12mm	I8/A/E/Y/M/H/2.7-13.5mm	I3/E/Y/M/H/2.8mm/V4.0

**Tiandy**



<b>Price (Rials)</b>	۲۵,۳۴۰,۰۰۰	۲۵,۳۴۰,۰۰۰	۳۹,۳۴۰,۰۰۰	۵۹,۲۹۰,۰۰۰	۸۶,۰۶۵,۰۰۰	۴۷,۶۱۰,۰۰۰
<b>Camera Type</b>	Dome	Dome	Dome	Bullet	Bullet	Dome
<b>Max Resolution</b>	4MP(2560x1440@15fps)	4MP(2560x1440@15fps)	4MP(2592x1520@25fps)	5MP(2592x1944@20fps)	5MP(2592x1944@25fps)	5MP(2592x1944@20fps)
<b>Sensor Size</b>	1/2.7"	1/2.7"	1/2.8"	1/2.8"	1/2.8"	1/2.8"
<b>Lens</b>	2.8mm	2.8mm	2.8mm	Motorized 2.8-12mm	Motorized 2.7-13.5mm	2.8mm
<b>Viewing Angle</b>	103.4°	99.7°	93.8°	96.8°~32.7°	94.2° ~ 29.3°	95.6°
<b>Night Vision Distance</b>	IR 30 M	IR 30 M	Warm Light 15~20M	IR 80 M	IR 80 M	Starlight/IR 30M
<b>Dynamic Range</b>	WDR 120db	DWDR	WDR 120db	WDR 120db	WDR 120db	WDR 120db
<b>Built in Mic</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>SD Card Support</b>	No	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)
<b>Reset Button</b>	N/A	N/A	Yes	Yes	Yes	Yes
<b>Video Compression</b>	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264/M-JPEG	S+265/H.265/H.264/M-JPEG
<b>Protection</b>	IP66	IP66	IP67	IP67	IP67	IP67,IK10
<b>VCA</b>	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Parking, Crowded, People Counting, On Duty Detection, Video Abnormal, Audio Abnormal, Heatmap, Face Capture(Face Detection), Safety Helmet Detection, Human/Vehicle Classification	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Parking, Crowded, People Counting, On Duty Detection, Video Abnormal, Audio Abnormal, Heatmap, Face Capture(Face Detection), Safety Helmet Detection, Human/Vehicle Classification
<b>Click for Details</b>	<a href="#">TC-C34HS</a>	<a href="#">TC-C34HS</a>	<a href="#">TC-C35MP</a>	<a href="#">TC-C35US</a>	<a href="#">TC-C35TS</a>	<a href="#">TC-C35KS</a>

	25	26	27	28	29
<b>Tiandy</b>	<b>TC-C35MS</b>	<b>TC-C35MS</b>	<b>TC-C38WS</b>	<b>TC-C38JS</b>	<b>TC-C38KS</b>
	I5/A/E/Y/M/H/2.7-13.5mm/V4.0	I3/A/E/Y/M/2.8-12mm	I5/E/Y/M//4mm/V4.0	I5/E/M/N/4mm	I3/E/Y/2.8mm/V4.0

**Tiandy**



<b>Price (Rials)</b>	۸۲,۵۰۰,۰۰۰	۵۹,۲۹۰,۰۰۰	۵۸,۳۳۰,۰۰۰	۸۹,۸۸۲,۰۰۰	۶۹,۳۶۰,۰۰۰
<b>Camera Type</b>	Dome	Dome	Bullet	Bullet	Dome
<b>Max Resolution</b>	5MP(2592x1944@30fps)	5MP(2592x1944@20fps)	8MP(3840x2160@20fps)	8MP(3840x2160@20fps)	8MP(3840x2160@20fps)
<b>Sensor Size</b>	1/2.8"	1/2.8"	1/2.8"	1/2.8"	1/2.8"
<b>Lens</b>	Motorized 2.7-13.5mm	Motorized 2.8-12mm	4mm	4mm	2.8mm
<b>Viewing Angle</b>	94.2°~29.3°	96°~32.7°	86.6°	84.8°	101.3°
<b>Night Vision Distance</b>	Starlight/IR 50M	Starlight/IR 30M	IR 50 M	IR 50 M	IR 30 M
<b>Dynamic Range</b>	WDR 120db	WDR 120db	WDR 120db	WDR 120db	WDR 120db
<b>Built in Mic</b>	Yes	Yes	Yes	N/A	Yes
<b>SD Card Support</b>	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 128G)	Yes (Up to 128G)
<b>Reset Button</b>	Yes	Yes	Yes	Yes	Yes
<b>Video Compression</b>	S+265/H.265/H.264/M-JPEG	S+265/H.265/H.264	S+265/H.265/H.264/M-JPEG	S+265/H.265/H.264/M-JPEG	S+265/H.265/H.264/M-JPEG
<b>Protection</b>	IP67,IK10	IP67,IK10	IP67	IP67	IP67,IK10
<b>VCA</b>	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Parking, Crowded, People Counting, Crowded, On Duty Detection, Video Abnormal, Audio Abnormal, Heatmap, Face Capture(Face Detection), Safety Helmet Detection, Human/Vehicle Classification	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Parking, Crowded, People Counting, On Duty Detection, Video Abnormal, Audio Abnormal, Heatmap, Safety Helmet Detection, Human/Vehicle Classification.	Tripwire, Perimeter
<b>Click for Details</b>	<a href="#">TC-C35MS</a>	<a href="#">TC-C35MS</a>	<a href="#">TC-C38WS</a>	<a href="#">TC-C38JS</a>	<a href="#">TC-C38KS</a>



**Tiandy**



	30	31	32	33	34
<b>Tiandy</b>	<b>TC-H324S</b>	<b>TC-H326S</b>	<b>TC-H326S</b>	<b>TC-H356S</b>	<b>TC-A3563</b>
	Spec:25X/I/E	Spec: 33X/I/E	Spec: 33X/I/E++/A	Spec:30X/I/E++/A	Spec:44X/I/A
<b>Price (Rials)</b>	۲۱۸,۹۷۰,۰۰۰	Call: ۰۲۱-۹۱۰۰۹۵۵۵	Call: ۰۲۱-۹۱۰۰۹۵۵۵	Call: ۰۲۱-۹۱۰۰۹۵۵۵	Call: ۰۲۱-۹۱۰۰۹۵۵۵
<b>Camera Type</b>	PTZ	PTZ	PTZ	PTZ	PTZ
<b>Max Resolution</b>	2MP(1920×1080@25fps)	2MP(1920×1080@50fps)	2MP(1920×1080@50fps)	5MP(2592×1944@25fps)	5MP(3072×1728@20fps)
<b>Sensor Size</b>	1/2.8"	1/2.8"	1/2.8"	1/2.8"	1/1.8"
<b>Lens</b>	Varifocal 4.8mm~120mm	Varifocal 4.6mm~152mm	Varifocal 4.6mm~152mm	Varifocal 4.7mm~141mm	Varifocal 6mm~264mm
<b>Viewing Angle</b>	58.5°~2.8°	60.5°~ 2.3°	60°~ 2.3°	55.5°~ 2.7°	61.8°~ 2.3°
<b>Night Vision Distance</b>	IR 150 M	IR 150 M	IR 200 M	IR 200 M	IR 180 M
<b>Dynamic Range</b>	WDR 140db	WDR 140db	WDR 140db	WDR 140db	True WDR
<b>Built in Mic</b>	No	No	No	No	N/A
<b>SD Card Support</b>	Yes (Up to 512G)	Yes (Up to 128G)	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 128G)
<b>Reset Button</b>	Yes	Yes	Yes	Yes	Yes
<b>Video Compression</b>	S+265/H.265/H.264/M-JPEG	S+265/H.265/H.264/M-JPEG	S+265/H.265/H.264/M-JPEG	S+265/H.265/H.264/M-JPEG	S+265/H.265/H.264/M-JPEG
<b>Protection</b>	IP66	IP66	IP67	IP67	IP66
<b>VCA</b>	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Video Abnormal, On-duty detection, Face Detection, Face Capture	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Video Abnormal, Audio Abnormal, Face Detection, Face Capture	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Parking, Heatmap, Video Abnormal, Crowd, Audio Abnormal, Demographics(People Counting), On Duty Detection, Safety Helmet Detection, Auto tracking, Face Capture	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Parking, Heatmap, Video Abnormal, Crowd, Audio Abnormal, Demographics(People Counting), On Duty Detection, Safety Helmet Detection, Auto tracking, Face Capture	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Parking, Face Detection, People Counting, Crowded, On Duty Detection, Video Abnormal, Audio Abnormal, Heatmap, Safety Helmet Detection
<b>Click for Details</b>	<a href="#">TC-H324S</a>	<a href="#">TC-H326S</a>	<a href="#">TC-H326S</a>	<a href="#">TC-H356S</a>	<a href="#">TC-A3563</a>

	35	36	37	38	39	40
<b>Tiandy</b>	<b>TC-R3105</b>	<b>TC-R3105</b>	<b>TC-R3110</b>	<b>TC-R3120</b>	<b>TC-R3120</b>	<b>TC-R3220</b>
	Spec: I/B/L	Spec: I/B/V3.0	Spec: I/B	Spec: I/B	Spec: I/B/V3.0	Spec: I/B/K

**Tiandy**



<b>Price (Rials)</b>	۲۱,۵۸۰,۰۰۰	۳۲,۲۳۰,۰۰۰	۳۵,۵۷۰,۰۰۰	۳۴,۶۲۸,۰۰۰	۴۹,۵۰۰,۰۰۰	۸۵,۷۷۰,۰۰۰
<b>Video Input</b>	5-ch	5-ch	10-ch	20-ch	20-ch	20-ch
<b>Recording Resolution</b>	6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	8MP/6MP/5MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF
<b>Playback Capability</b>	1× 6MP, 1× 5MP, 1× 4MP, 1× 3MP, 4× 1080P, 5× 720P, 5× 4CIF	1×5MP, 1×4MP, 3×1080P, 5×720P, 5×4CIF	1×5MP, 1×4MP, 3×1080P, 5×720P, 5×4CIF	1-ch 4K/4-ch 1080P/8-ch 720P/16-ch 4CIF	1-ch 4K/4-ch 1080P/8-ch 720P/16-ch 4CIF	1× 8MP, 1× 6MP, 1× 5MP, 2× 4MP, 2× 3MP, 4× 1080P, 8× 720P, 20× 4CIF
<b>HDD</b>	1 up to 8TB	1 up to 10TB	1 up to 10TB	1 up to 10TB	1 up to 10TB	2 up to 10TB
<b>Input Bandwidth</b>	50Mbps	40Mbps	40Mbps	80Mbps	80Mbps	120Mbps
<b>Output Bandwidth</b>	40Mbps	40Mbps	40Mbps	80Mbps	80Mbps	100Mbps
<b>Network Interface</b>	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M
<b>Video Output</b>	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA
<b>Video Compression</b>	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264
<b>Click for Details</b>	<a href="#">TC-R3105</a>	<a href="#">TC-R3105</a>	<a href="#">TC-R3110</a>	<a href="#">TC-R3120</a>	<a href="#">TC-R3120</a>	<a href="#">TC-R3220</a>

	41	42	43	44	45	46
<b>Tiandy</b>	<b>TC-R3220</b> Spec:I/B/P16/K/V3.0	<b>TC-R3240</b> Spec:I/B/N/H	<b>TC-R3440</b> Spec:I/B/N/H/C	<b>TC-R3440</b> Spec:I/B/P16/H	<b>TC-R3840</b> Spec:I/B/N	<b>TC-R31680</b> Spec:E/B/N

**Tiandy**



<b>Price (Rials)</b>	۱۶۳,۸۵۰,۰۰۰	۱۵۱,۴۰۰,۰۰۰	۱۶۷,۸۱۰,۰۰۰	Call: ۰۲۱-۹۱۰۰۹۵۵۵	Call: ۰۲۱-۹۱۰۰۹۵۵۵	Call: ۰۲۱-۹۱۰۰۹۵۵۵
<b>Video Input</b>	20-ch/16P	40-ch	40-ch	40-ch/16P	40-ch	80-ch
<b>Recording Resolution</b>	8MP/6MP/5MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF
<b>Playback Capability</b>	1x 8MP, 1x 6MP, 1x 5MP, 2x 4MP, 2x 3MP, 4x 1080P, 8x 720P	3x 12MP, 4x 8MP, 4x 6MP, 5x 5MP, 8x 4MP, 9x 3MP, 16x 1080P, 32x 720P, 40x 4CIF	3x 12MP, 4x 8MP, 4x 6MP, 5x 5MP, 8x 4MP, 9x 3MP, 16x 1080P, 16x 720P	3x 12MP, 4x 8MP, 4x 6MP, 5x 5MP, 8x 4MP, 9x 3MP, 16x 1080P, 16x 720P	2x 12MP, 4x 4K, 5x 5MP, 8x 4MP, 16x 1080P, 16x 720P	2x 12MP, 4x 4K, 5x 5MP, 8x 4MP, 16x 1080P, 16x 720P
<b>HDD</b>	2 up to 10TB	2 up to 10TB	4 up to 10TB	4 up to 10TB	8 up to 10TB	16 up to 10TB
<b>Input Bandwidth</b>	120Mbps	320Mbps	200Mbps	320Mbps	400Mbps	400Mbps
<b>Output Bandwidth</b>	100Mbps	320Mbps	200Mbps	320Mbps	200Mbps	200Mbps
<b>Network Interface</b>	1 RJ45 1000M	2 RJ45 1000M	2 RJ45 1000M	1 RJ45 1000M	2 RJ45 1000M	2 RJ45 1000M
<b>Video Output</b>	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	2 Port HDMI : 4K 2 Port VGA	2 Port HDMI : 4K 2Port VGA
<b>Video Compression</b>	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264
<b>Click for Details</b>	<a href="#">TC-R3220 /16P</a>	<a href="#">TC-R3240</a>	<a href="#">TC-R3440</a>	<a href="#">TC-R3440/16P</a>	<a href="#">TC-R3840</a>	<a href="#">TC-R31680</a>