



لیست قیمت (رسمی) تاپسّان ۱۴۰


تارتون دز آریانا

فروش محصولات داهوا

تمامی کالاها دارای ۲۴ ماه گارانتی پارس ارتباط

۰۲۱-۹۱۰۰۹۵۵۵

۰۹۹۳۰-۳۲۱۴۰۸۹۹



1

2

3

4

Dahua**DH-HAC-B1A21P****DH-HAC-B2A21P-0360B****DH-HAC-HFW1200DP-0360B-S5****DH-HAC-HFW1200CMP**

Price (Rials)	۹,۸۰۰,۰۰۰	۸,۲۲۰,۰۰۰	۱۳,۴۸۰,۰۰۰	۱۰,۳۲۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.04Lux/F2.0	0.04Lux/F1.85	0.02Lux/F1.9	0.02Lux/F1.9
Lens	3.6 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	82°	93°	84°	84°
IR Range	Up to 20m	Up to 20m	Up to 80m	Up to 30m
Body Type	Plastic	Metal	Plastic	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	Yes	No	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable	Smart IR, HLC, BLC, Switchable. Built in mic

5

6

7

8

Dahua**DH-HAC-HFW1200TLP-A****DH-HAC-HFW1231RP-Z-A****DH-HAC-HFW1209TLMP-LED-0360B****DH-HAC-HFW1239TP-LED3.6mm**

Price (Rials)	۱۱,۹۰۰,۰۰۰	۲۶,۹۸۰,۰۰۰	۱۲,۰۲۰,۰۰۰	۱۵,۰۸۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F1.9	0.002Lux/F1.5	0.001Lux/F1.6	0.001Lux/F1.6
Lens	3.6 Fixed	Motorized (2.7–12 mm)	3.6 Fixed	3.6 Fixed
Viewing Angle	84°	102°-33°	86.9°	86.9°
IR Range	Up to 80m	Starlight Up to 80m	Starlight Up to 20m	Starlight Up to 20m
Body Type	Metal	Metal	Plastic & Metal	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	No	Yes	Yes
WDR	DWDR	WDR 130db	WDR 130db	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, Switchable. Built in mic	Smart IR, HLC, BLC,3D NR, Switchable. Built in mic	Smart IR, HLC, BLC,AWB,AGC, Switchable. Built in mic	Smart IR, HLC, BLC, Switchable, Built in mic

9

10

11

12

Dahua**DH-HAC-HFW1200TLP-0360B-S5****DH-HAC-HFW1200TP-A-0360B-S5****DH-HAC-HFW1200THP-I8****DH-HAC-HFW1230TLP**

Price (Rials)	۱۰,۶۳۰,۰۰۰	۱۰,۸۵۰,۰۰۰	۱۲,۱۰۰,۰۰۰	Call: ۹۱۰۰۹۵۵۵
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F1.9	0.02Lux/F1.9	0.02Lux/F1.9	0.005Lux/F1.6
Lens	3.6 Fixed	2.8 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	84°	101°	84°	86.9°
IR Range	Up to 40m	Up to 30m	Up to 80m	Starlight/Up to 40m
Body Type	Metal	Metal	Plastic & Metal	Plastic
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	No	No	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D NR, AGC, AWB, Switchable	Smart IR, HLC, BLC, 2D NR, Built in mic, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable	Smart IR, HLC, BLC, 2D NR, AGC, Switchable

13

14

15

16

Dahua**DH-HAC-HFW1200THP-I4****DH-HAC-HFW1200TP-A****DH-HAC-HFW1200RP-Z-IRE6****DH-HAC-HFW1209CP-LED-0360B**

Price (Rials)	۱۲,۳۱۰,۰۰۰	Call: ۹۱۰۰۹۵۵۵	۲۳,۰۱۰,۰۰۰	۱۰,۰۲۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F1.9	0.02Lux/F1.9	0.02Lux/F1.8	0.01Lux/F1.6
Lens	3.6 Fixed	3.6 Fixed	Motorized (2.7–12 mm)	3.6 Fixed
Viewing Angle	84°	84°	105.9°-33.4°	86.9°
IR Range	Up to 40m	Up to 30m	Starlight/ Up to 60m	Starlight/ Up to 20m
Body Type	Plastic & Metal	Metal	Metal	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	No	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D NR, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable, Built in mic	Smart IR, HLC, BLC, 2D NR, Switchable, AGC	Smart IR, HLC, BLC, Switchable

17

18

19

20

Dahua**DH-HAC-HFW1209CMP-LED-0360B****DH-HAC-HFW1200CMP-A****DH-HAC-T1A21P-0280B****DH-HAC-T1A21P-0360B**

Price (Rials)	۱۱,۲۲۰,۰۰۰	۱۱,۱۱۰,۰۰۰	۷,۱۴۰,۰۰۰	۷,۰۷۰,۰۰۰
Camera Type	Bullet	Bullet	Dome	Dome
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.01Lux/F1.6	0.02Lux/F1.9	0.04Lux/F2.0	0.04Lux/F2.0
Lens	3.6 Fixed	3.6 Fixed	2.8/ 3.6 Fixed	2.8/ 3.6 Fixed
Viewing Angle	86.9°	84°	100°/82°	100°/82°
IR Range	Starlight/ Up to 20m	Up to 30m	Up to 20m	Up to 20m
Body Type	Metal	Metal	Plastic	Plastic
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	Yes	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, Switchable	Smart IR, HLC, BLC, Switchable, Built in Mic	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable

21

22

23

24

Dahua**DH-HAC-T2A21P-0280B****DH-HAC-T2A21P-0360B****DH-HAC-HDW1200TRQP-A-0280B-S5****DH-HAC-HDW1200TRQP-A-0360B**

Price (Rials)	۹,۵۲۰,۰۰۰	۸,۴۳۰,۰۰۰	۱۰,۴۲۰,۰۰۰	۹,۵۲۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.04Lux/F2.0	0.04Lux/F2.0	0.02Lux/F1.9	0.02Lux/F1.9
Lens	2.8 Fixed	3.6 Fixed	2.8/ 3.6 Fixed	2.8/ 3.6 Fixed
Viewing Angle	100°	84°	101°/84°	101°/84°
IR Range	Up to 20m	Up to 20m	Up to 25m	Up to 25m
Body Type	Metal	Metal	Plastic	Plastic
IP Standard	IP67	IP67	IP50	IP50
OSD Menu	Yes	Yes	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, Switchable. Built in mic	Smart IR, HLC, BLC, Switchable. Built in mic, 2D NR

25

26

27

28

Dahua**DH-HAC-HDW1209TLQP-A-LED-0280B****DH-HAC-HDW1239TP-A-LED-0280B-S2****DH-HAC-HDW1209TLQP-LED-0280B****HAC-HDW1200EMP-A-S4**

Price (Rials)	۱۱,۲۲۰,۰۰۰	۱۶,۸۳۰,۰۰۰	۱۰,۴۲۰,۰۰۰	۱۲,۴۲۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.01Lux/F1.6	0.001Lux/F1.6	0.01Lux/F1.6	0.02Lux/F1.85
Lens	2.8 Fixed	3.6 Fixed	3.6 Fixed	2.8 Fixed
Viewing Angle	106°	86°	87.5°	103°
IR Range	Starlight/Up to 20m	Starlight/Up to 40m	Starlight/Up to 20m	Up to 50m
Body Type	Plastic & Metal	Plastic	Plastic & Metal	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	Yes	No	Yes
WDR	DWDR	WDR 130db	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, BLC, Switchable. Built in mic	Smart IR, HLC, BLC,3D DNR, Switchable, Built in mic	Smart IR, HLC, BLC,2D DNR, AGC, Switchable	Smart IR, HLC, BLC,2D DNR, AGC, Switchable, Built in mic

Dahua**HAC-HDW1200MP-0280B-S5****DH-HAC-HFW1400CMP****DH-HAC-HFW1400DP-0360B-S3****DH-HAC-HDW1400TRQP-0280B-S3**

Price (Rials)	۱۰,۳۲۰,۰۰۰	۱۲,۸۲۰,۰۰۰	۱۷,۲۶۰,۰۰۰	۸,۸۲۰,۰۰۰
Camera Type	Dome	Bullet	Bullet	Dome
Imaging Sensor	2 Megapixel	4 Megapixel	4 Megapixel	4 Megapixel
Resolution	HD1080P	4MP (2560×1440)	4MP (2560×1440)	4MP (2560×1440)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F1.9	0.02Lux/F2.0	0.02Lux/F2.0	0.02Lux/F2.0
Lens	3.6 Fixed	3.6 Fixed	3.6 Fixed	2.8 Fixed
Viewing Angle	84°	87°	87°	105°
IR Range	Up to 30m	Up to 30m	Up to 80m	Up to 25m
Body Type	Metal	Metal	Metal	Plastic
IP Standard	IP67	IP67	IP67	IP50
OSD Menu	No	Yes	No	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC,2D DNR, Switchable	Smart IR, HLC, BLC,2D DNR, AWB, AGC, E-Defog, Switchable	Smart IR, HLC, BLC,2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC,2D DNR, AWB, AGC,E-Defog, Switchable

33

34

35

36

Dahua**DH-HAC-HDW1400TRQP-A-0280B-S3****DH-HAC-B1A51P****DH-HAC-HFW1500THP-I8-0360B****DH-HAC-HFW1500TLP**

Price (Rials)	۹,۶۲۰,۰۰۰	۱۲,۷۰۰,۰۰۰	۱۷,۳۹۰,۰۰۰	۱۵,۸۷۰,۰۰۰
Camera Type	Dome	Bullet	Bullet	Bullet
Imaging Sensor	4 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	4MP (2560×1440)	5MP (2880×1620)	5MP (2560×1944)	5MP (2560×1944)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F2.0	0.02Lux/F2.0	0.005Lux/F1.6	0.02Lux/F1.85
Lens	3.6 Fixed	3.6 Fixed	2.8 Fixed	3.6 Fixed
Viewing Angle	84.8°	88°	105°	98°
IR Range	Up to 25m	Up to 20m	Up to 80m	Starlight Up to 40m
Body Type	Plastic	Plastic	Plastic	Plastic
IP Standard	IP50	IP67	IP67	IP67
OSD Menu	Yes	Yes	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D, Switchable	Smart IR, HLC, BLC, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, E-Defog, Switchable	Smart IR, HLC, BLC, 2D NR, AGC, Switchable

37

38

39

40

Dahua**DH-HAC-HFW1500CMP****DH-HAC-HFW1509TLMP-LED****DH-HAC-HFW1509TLMP-A-LED****DH-HAC-HFW1500TP-A-S2-0360B**

Price (Rials)	۱۶,۶۶۰,۰۰۰	۲۰,۶۳۰,۰۰۰	۲۱,۴۲۰,۰۰۰	۱۶,۰۳۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2560×1944)	5MP (2592×1944)	5MP (2592×1944)	5MP (2592×1944)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.005Lux/F1.6	0.005Lux/F1.2	0.005Lux/F1.2	0.02Lux/F1.85
Lens	3.6 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	98°	83°	83°	77.5°
IR Range	Starlight Up to 30m	Starlight Up to 40m	Color Up to 40m	Up to 30m
Body Type	Metal	Plastic & Metal	Plastic & Metal	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	Yes	Yes	Yes
WDR	DWDR	DWDR	WDR 120db	DWDR
Power Supply	12 VDC - PoC (CVI)	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D NR, AGC, Switchable- Built in Mic	Smart IR, HLC, BLC, 2D NR, Switchable- Built in Mic	Smart IR, HLC, BLC, 3D NR, Switchable- Built in Mic	Smart IR, HLC, BLC, 2D NR, Switchable, AGC

41

42

43

44

Dahua**DH-HAC-HFW1500RP-Z-IRE6****DH-HAC-B2A51P-0360B-S2****DH-HAC-T2A51P****DH-HAC-HDW1500TRQP-A**

Price (Rials)	۳۰,۱۵۰,۰۰۰	۱۴,۰۴۰,۰۰۰	۱۴,۲۸۰,۰۰۰	۱۴,۲۸۰,۰۰۰
Camera Type	Bullet	Bullet	Dome	Dome
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2880×1620)	5MP (2880×1620)	5MP (2560×1944)	5MP (2560×1944)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.005Lux/F1.6	0.02Lux/F2.0	0.02Lux/F2.0	0.005Lux/F1.6
Lens	Motorized (2.7 –12 mm)	3.6 Fixed	3.6 Fixed	2.8 Fixed
Viewing Angle	107°-34°	88°	88°	105°
IR Range	Up to 60m	Up to 20m	Up to 20m	Up to 30m
Body Type	Metal	Metal	Metal	Plastic
IP Standard	IP67	IP67	IP67	IP50
OSD Menu	Yes	Yes	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D NR, AGC, Switchable	Smart IR, HLC, BLC, 2D NR, AGC, Switchable	Smart IR, HLC, BLC, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, Switchable, Built in Mic

45

46

47

Dahua**DH-HAC-HDW1500TLMQP-0280B-S2****DH-HAC-HDW1509TLQP-A-LED****DH-HAC-HUM3201BP-B**

Price (Rials)	١٥,٢٢٠,٠٠٠	٢١,٤٢٠,٠٠٠	١٩,٦٣٠,٠٠٠
Camera Type	Dome	Dome	Pinhole
Imaging Sensor	5 Megapixel	5 Megapixel	2 Megapixel
Resolution	5MP (2560×1944)	5MP (2880×1620)	1920 x 1080
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.005Lux/F1.6	0.001Lux/F1.0	0.004Lux/F2.4
Lens	2.8 / 3.6 Fixed	3.6 Fixed	2.8 Fixed
Viewing Angle	111° / 92°	88°	103°
IR Range	Up to 30m	Color Up to 20m	
Body Type	Plastic & Metal	Metal	Metal
IP Standard	IP67	IP67	-
OSD Menu	No	No	-
WDR	DWDR	WDR 120db	WDR 120db
Power Supply	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D DNR, Switchable, Built in Mic	Smart IR, HLC, HLC Pro, BLC, 3D NR, Switchable- Built in Mic	Smart IR, HLC, BLC, 3D NR, Switchable, Digital zoom 4x

Dahua**DH-SD42215-HC-LA****DH-SD49225-HC-LA****DH-SD59232-HC-LA**

Price (Rials)	۱۲۸,۵۶۰,۰۰۰	۱۵۰,۵۳۰,۰۰۰	۲۶۷,۷۰۰,۰۰۰
Camera Type	PTZ	PTZ	PTZ
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	1920 x 1080	1920 x 1080	1920 x 1080
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.005Lux/F1.6	0.005Lux/F1.6	0.005Lux/F1.6
Lens	5–75 mm	4.8–120 mm	4.5–144 mm
Viewing Angle	15x	25x	32x
IR Range		IR 100m	IR 150m
Body Type	Plastic	Plastic	Plastic
IP Standard	IP66, IK10	IP66	IP66
OSD Menu	No	No	No
WDR	Yes (120db)	Yes (120db)	Yes (120db)
Power Supply	DC 12V/5A	DC 12V/3A	DC 12V/3A
Other Features	Starlight, Smart IR, HLC, 2D, 3D DNR, BLC, Defog	Starlight, Smart IR, HLC, 2D, 3D DNR, BLC, Defog	Starlight, Smart IR, HLC, 2D, 3D DNR, BLC, Defog

51

52

53

54

Dahua**DH-XVR1B04-I****DH-XVR5104HS-I3****DH-XVR5104HS-4KL-I3****DH-XVR1B08-I**

Price (Rials)	۱۸,۸۴۰,۰۰۰	۳۰,۰۹۰,۰۰۰	۴۵,۶۰۰,۰۰۰	۲۲,۳۴۰,۰۰۰
XVR Type	4 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	4 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	4 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	4 Ch. HDCVI/AHD/TVI Up to 2MP	4 Ch. HDCVI/AHD/TVI Up to 5MP	4 Ch. HDCVI/AHD/TVI Up to 4K	8 Ch. HDCVI/AHD/TVI Up to 2MP
IP Video Input	4+1 Ch. Up to 2MP	4+2 Ch. Up to 6MP	4+4 Ch. Up to 8MP	8+2 Ch. Up to 6MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	2MP: 25/30FPS 720P: 60FPS	5MP: 25/30FPS 4MP: 25/30FPS	4K: 25/30FPS 6MP: 25/30FPS	2MP: 25/30FPS 720P: 25/30FPS
Video Output	1 Port HDMI : 1080P 1 Port VGA	1 Port HDMI : 1080P 1 Port VGA	1 Port HDMI : 4K 1 Port VGA: 1080P	1 Port HDMI 1 Port VGA
SATA Interface	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 10TB	1 HDD up to 6TB
Network Interface	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M
Chassis	Standalone 1U	Standalone 1U	Standalone 1U	Standalone 1U
Other Features	AI Coding/H.265+/H.265/H.264+/H.264 face recognition/Human/Vehicle Classification, IoT Support	AI Coding/H.265+/H.265/H.264+/H.264/ face recognition/Human/Vehicle Classification, IoT Support	AI Coding/H.265+/H.265/H.264+/H.264/ face recognition/Human/Vehicle Classification, IoT Support	H.265+/H.265/H.264+/H.264

55

56

57

58

Dahua**DH-XVR5108HS-I3****DHI-XVR5108HS-4KL****DH-XVR5108HS-4KL-I3****DH-XVR5116H-I2**

Price (Rials)	۴۸,۷۴۰,۰۰۰	۶۷,۶۷۰,۰۰۰	۷۶,۹۰۰,۰۰۰	۷۲,۱۳۰,۰۰۰
XVR Type	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	8 Ch. HDCVI/AHD/TVI Up to 5MP	8 Ch. HDCVI/AHD/TVI Up to 8MP	8 Ch. HDCVI/AHD/TVI Up to 8MP	16 Ch. HDCVI/AHD/TVI Up to 5MP
IP Video Input	8+4 Ch. Up to 6MP	8+4 Ch. Up to 8MP	8+8 Ch. Up to 8MP	16+8 Ch. Up to 6MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	5MP: 25/30FPS 4MP: 25/30FPS	4K: 7FPS 5MP: 12FPS 4MP: 15FPS	4K: 7FPS 5MP: 12FPS 4MP: 15FPS	5MP: 25FPS 720P: 25FPS
Video Output	1 Port HDMI : 1080P 1 Port VGA	1 Port HDMI 1 Port VGA	1 Port HDMI 1 Port VGA	1 Port HDMI 1 Port VGA
SATA Interface	1 HDD up to 10TB	1 HDD up to 8TB	1 HDD up to 10TB	1 HDD up to 10TB
Network Interface	1 RJ45 100M	1 RJ45 1000M	1 RJ45 1000M	
Chassis	Standalone 1U	Standalone 1U	Standalone 1U	Mini 1U
Other Features	AI Coding/H.265+/H.265/H.264+/H.264/ face recognition/Human/Vehicle Classification, IoT Support	H.265+/H.265/H.264+/H.264	AI Codin/H.265+/H.265/H.264+/H.264	H.265+/H.265

59

60

61

62

Dahua**DH-XVR1B16-I****DH-XVR4116HS-I****DHI-XVR5116HS-S2****DH-XVR5216AN-I2**

Price (Rials)	۴۸,۷۴۰,۰۰۰	۵۱,۲۷۰,۰۰۰	۷۲,۴۸۰,۰۰۰	Call: ۹۱۰۰۹۵۵۵
XVR Type	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	16 Ch. HDCVI/AHD/TVI Up to 2MP	16 Ch. HDCVI/AHD/TVI Up to 2MP	16 Ch. HDCVI/AHD/TVI Up to 4MP	16 Ch. HDCVI/AHD/TVI Up to 5MP
IP Video Input	16+2 Ch. Up to 6MP	2+16 Ch. Up to 6MP	16+8 Ch. Up to 5MP	16+8 Ch. Up to 6MP
Audio Input/Output	1Ch. In / 1Ch. Out			
Recording	2MP: 25FPS 720P: 25FPS	2MP: 25/30FPS 720P:25/30FPS	4MP: 25/30FPS 720P:50/60FPS	5MP: 25/30FPS 720P:25/30FPS
Video Output	1 Port HDMI 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA : 1080p	1 Port HDMI :1080p 1 Port VGA : 1080p	1 Port HDMI :4k 1 Port VGA : 1080p
SATA Interface	1 HDD up to 6TB	1 HDD up to 16TB	1 HDD up to 8TB	2 HDD up to 10TB
Network Interface		1 RJ45 100M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Compact 1U	Mini 1U	Standalone 1U
Other Features	H.265+/H.265	AI Coding/H.265+/H.265/H.264+/H.264	Smart H.264+/H.264, Smart Search	AI Coding/H.265+/H.265/H.264+/H.264, Human/Vehicle secondary recognition for tripwire and intrusion/AI Search Search by target classification

63

64

65

66

Dahua**DHI-XVR5216AN-S2****DHI-XVR5216AN-4KL****DH-XVR5216AN-4KL-I2****DHI-XVR5232AN-S2**

Price (Rials)	۹۴,۰۰۰,۰۰۰	۱۴۰,۰۰۰,۰۰۰	۱۴۰,۸۰۰,۰۰۰	۱۴۲,۳۰۰,۰۰۰
XVR Type	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	32 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	16 Ch. HDCVI/AHD/TVI Up to 4MP	16 Ch. HDCVI/AHD/TVI Up to 5MP	16 Ch. HDCVI/AHD/TVI Up to 4K	32 Ch. HDCVI/AHD/TVI Up to 4MP
IP Video Input	16+8 Ch. Up to 5MP	16+8 Ch. Up to 8MP	16+16 Ch. Up to 8MP	32 Ch. Up to 5MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	4MP: 25/30FPS 720P:50/60FPS	5MP: 25/30FPS 720P:25/30FPS	4K: 25/30FPS 720P:25/30FPS	4MP: 25/30FPS 720P: 50/60FPS
Video Output	1 Port HDMI :1080p 1 Port VGA : 1080p	1 Port HDMI :4k 1 Port VGA : 1080p	1 Port HDMI :4k 1 Port VGA : 1080p	1 Port HDMI :1080p 1 Port VGA
SATA Interface	2 HDD up to 8TB	2 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 8TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Penta-brid	Standalone 1U	Standalone 1U	Standalone 1U
Other Features	Smart H.264+/H.264, Smart Search	H.265+/H.265/H.264+/H.264	AI Coding/H.265+/H.265/H.264+/H.264, Human/Vehicle secondary recognition for tripwire and intrusion/AI Search Search by target classification	H.264+/H.264, Smart Search, Face Detection