

HiLook

لیست قیمت رسمی بهار ۱۴۰۲

تارتن دژ آریانا

جهت اطلاع از تخفیف جشنواره هر محصول تماس بگیرید:

۰۲۱-۸۸۵۰۰۰۲۰

۰۹۹۳-۳۲۴۰۸۹۹



نماینده مرکزی محصولات هایلوک

1

2

3

4

5

6

THC-B110-M

THC-B120-P

THC-B120-PC

THC-B120-M

THC-B120-MS

THC-B120-MC

HiLook



Price (Rials)	Call: +٢١-٨٨٥٠٠٠٢٠	١١,٥٩٠,٠٠٠	٩,٧٩٠,٠٠٠	Call: +٢١-٨٨٥٠٠٠٢٠	١٥,٠٣٠,٠٠٠	١١,٥٤٠,٠٠٠
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Resolution	1 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8, 3.6, 6mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix
Viewing Angle	105°/85°/65°	105°	105°	105°	105°	105°
IR Range	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)
Body Type	Metal	Plastic	Plastic	Metal	Metal	Metal
IP Standard	IP66	IP66	IP66	IP66	IP66	IP66
OSD Menu	No	No	No	No	No	No
WDR	No	No	No	No	No	No
Other Features	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Built in Mic, Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS

7

8

9

10

11

12

THC-B123-M

THC-B140-P

THC-B140-M

THC-B150-M

THC-B220

THC-B220C

HiLook



Price (Rials)

Call: +٢١-٨٨٥٠٠٠٢٠

Call: +٢١-٨٨٥٠٠٠٢٠

Call: +٢١-٨٨٥٠٠٠٢٠

Call: +٢١-٨٨٥٠٠٠٢٠

Call: +٢١-٨٨٥٠٠٠٢٠

Call: +٢١-٨٨٥٠٠٠٢٠

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Bullet

Resolution

2 Megapixel

4 Megapixel

4 Megapixel

5 Megapixel

2 Megapixel

2 Megapixel

Lens

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8/3.6/6mm Fix

Viewing Angle

105°

105°

105°

105°

105°

105°/85°/65°

IR Range

Up to 30m (EXIR)

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 20m

Up to 40m (EXIR)

Up to 40m (EXIR)

Body Type

Metal

Plastic

Metal

Metal

Metal & Plastic

Metal

IP Standard

IP66

IP66

IP66

IP66

IP66

IP66

OSD Menu

No

No

No

No

No

Yes

WDR

Yes

No

No

No

No

DWDR

Other Features

Smart IR, Switchable
TVI/AHD/CVI/CVBS, 3D
DNRSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, Switchable
TVI/AHD/CVI/CVBSSmart IR, Switchable
TVI/AHD/CVI/CVBSSmart IR, Switchable
TVI/AHD/CVI/CVBS

13

14

15

16

17

18

THC-B220-M

THC-B240

THC-B240-M

THC-T110-P

THC-T120

THC-T120-PC

HiLook



Price (Rials)

Call: +٢١-٨٨٥٠٠٠٢٠

Call: +٢١-٨٨٥٠٠٠٢٠

Call: +٢١-٨٨٥٠٠٠٢٠

Call: +٢١-٨٨٥٠٠٠٢٠

٨,١٨٠,٠٠٠

Call: +٢١-٨٨٥٠٠٠٢٠

Camera Type

Bullet

Bullet

Bullet

Dome

Dome

Dome

Resolution

2 Megapixel

4 Megapixel

4 Megapixel

1 Megapixel

2 Megapixel

2 Megapixel

Lens

2.8/3.6/6mm Fix

2.8mm Fix

2.8/3.6/6mm Fix

2.8/3.6/6mm Fix

2.8mm Fix

2.8mm Fix

Viewing Angle

105°/85°/65°

105°

105°/85°/65°

105°/85°/65°

105°

105°

IR Range

Up to 40m (EXIR)

Up to 40m (EXIR)

Up to 40m (EXIR)

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 20m (EXIR)

Body Type

Metal

Metal

Metal

Plastic

Metal & Plastic

Plastic

IP Standard

IP66

IP66

IP66

IP66

IP66

IP66

OSD Menu

Yes

No

Yes

No

No

No

WDR

No

No

No

No

No

No

Other Features

Smart IR, Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, Switchable
TVI/AHD/CVI/CVBSSmart IR, Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, Switchable
TVI/AHD/CVI/CVBS

19

20

21

22

23

24

THC-T120-PS

THC-T120-M

THC-T120-MS

THC-T123

THC-T123-P

THC-T140-P

HiLook



Price (Rials)

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

۱۳,۴۶۰,۰۰۰

Camera Type

Dome

Dome

Dome

Dome

Dome

Dome

Resolution

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

4 Megapixel

Lens

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8/3.6/6mm Fix

2.8mm Fix

2.8mm Fix

Viewing Angle

105°

105°

105°

105°/85°/65°

105°

105°

IR Range

Up to 20m

Up to 20m (EXIR)

Up to 20m

Up to 30m (EXIR)

Up to 30m (EXIR)

Up to 20m (EXIR)

Body Type

Plastic

Metal

Metal

Metal

Plastic

Plastic

IP Standard

IP66

IP66

IP66

IP66

IP66

IP66

OSD Menu

No

No

No

No

No

No

WDR

No

No

No

No

Yes

No

Other Features

Built in Mic, Smart IR,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSBuilt in Mic, Smart IR,
BLC, Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, Switchable
TVI/AHD/CVI/CVBS, 3D
DNRSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBS

25

26

27

28

29

30

THC-T140

THC-T140-M

THC-T220-P

THC-T220-PC

THC-T220-M

THC-T240-P

HiLook



Price (Rials)

Call: +٢١-٨٨٥٠٠٠٢٠

١٤,٢٩٠,٠٠٠

Call: +٢١-٨٨٥٠٠٠٢٠

Call: +٢١-٨٨٥٠٠٠٢٠

Call: +٢١-٨٨٥٠٠٠٢٠

١٥,٢٧٠,٠٠٠

Camera Type

Dome

Dome

Dome

Dome

Dome

Dome

Resolution

4 Megapixel

4 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

4 Megapixel

Lens

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8mm Fix

Viewing Angle

105°

105°

105°

105°

105°

105°

IR Range

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 40m (EXIR)

Up to 40m

Up to 40m (EXIR)

Up to 40m (EXIR)

Body Type

Metal & Plastic

Metal

Plastic

Plastic

Metal

Plastic

IP Standard

IP66

IP66

IP66

IP66

IP66

IP66

OSD Menu

No

No

No

No

No

No

WDR

No

No

No

No

No

No

Other Features

Smart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBS

31

32

33

34

35

36

THC-T240-M

THC-B320-VF

THC-B340-VF

THC-D320-VF

THC-D340-VF

THC-T320-VF

HiLook



Price (Rials)

١٤,٥٦٠,٠٠٠

٢٥,٢٨٠,٠٠٠

٢٧,٤٣٠,٠٠٠

٢٤,٩١٠,٠٠٠

٢٨,٤٦٠,٠٠٠

٢٥,٢٨٠,٠٠٠

Camera Type

Dome

Bullet

Bullet

Dome

Dome

Dome

Resolution

4 Megapixel

2 Megapixel

4 Megapixel

2 Megapixel

4 Megapixel

2 Megapixel

Lens

2.8mm Fix

2.8 - 12mm Varifocal

2.8 - 12mm Varifocal

2.8 - 12mm Varifocal

2.8 - 12mm Varifocal

2.8 - 12mm Varifocal

Viewing Angle

105°

111.5°-33.4°

111.5°-33.4°

111.5°-33.4°

111.5°-33.4°

111.5°-33.4°

IR Range

Up to 40m (EXIR)

Up to 40m (EXIR)

Up to 40m (EXIR)

Up to 40m (EXIR)

Up to 40m (EXIR)

Up to 40m (EXIR)

Body Type

Metal

Metal & Plastic

Metal & Plastic

Metal

Metal

Metal & Plastic

IP Standard

IP66

IP66

IP66

IP66

IP66

IP66

OSD Menu

No

No

No

No

No

No

WDR

No

No

No

No

No

No

Other Features

Smart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBS

THC-T340-VF

HiLook



Price (Rials)	۲۷,۴۳۰,۰۰۰
Camera Type	Dome
Resolution	4 Megapixel
Lens	2.8 - 12mm Varifocal
Viewing Angle	111.5°-33.4°
IR Range	Up to 40m (EXIR)
Body Type	Metal & Plastic
IP Standard	IP66
OSD Menu	No
WDR	No
Other Features	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS

38

39

PTZ-T4215I-D

PTZ-T4225I-D

HiLook



Price (Rials)	110,940,000	120,210,000
Camera Type	PTZ	PTZ
Resolution	2 Megapixel	2 Megapixel
Lens	5 - 75mm Varifocal	4.8 - 120mm Varifocal
Viewing Angle	15x	25x
IR Range	Up to 100m	Up to 100m
Body Type	-	-
IP Standard	IP66	IP66
OSD Menu	-	-
WDR	No	Yes
Other Features	3D DNR, Switchable TurboHD & CVBS Video Output	3D DNR, Switchable TurboHD & CVBS Video Output

40

41

42

43

44

45

DVR-104G-F1

DVR-108G-F1

DVR-116G-F1

DVR-204G-F1

DVR-208G-F1

DVR-216G-F1

HiLook



Price (Rials)

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

۴۵,۵۴۰,۰۰۰

DVR Type

4-ch
TVI/AHD/CVI/CVBS8-ch
TVI/AHD/CVI/CVBS16-ch
TVI/AHD/CVI/CVBS4-ch
TVI/AHD/CVI/CVBS8-ch
TVI/AHD/CVI/CVBS16-ch
TVI/AHD/CVI/CVBS

Analog Video Input

4 Ch. HDTV/Analog
Up to 2MP8 Ch. HDTV/Analog
Up to 2MP16 Ch. HDTV/Analog
Up to 2MP4 Ch. HDTV/Analog
Up to 2MP8 Ch. HDTV/Analog
Up to 2MP16Ch. HDTV/Analog
AHD Up to 2MP

Video Output

1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB

SATA Interface

1 HDD up to 4TB

1 HDD up to 4TB

1 HDD up to 6TB

1 HDD up to 6TB

1 HDD up to 6TB

1 HDD up to 6TB

Compression Standard

H.265+

H.265+

H.264+

H.264+

H.264+

H.264+

Other Features

Smart search for
efficient playbackSmart search for
efficient playbackMax. 1200 m for 720p
HDTV signal
transmissionSupport multiple VCA
both analog and smart
IP camerasSupport multiple VCA
both analog and smart
IP camerasSupport multiple VCA
both analog and smart
IP cameras

46

47

48

49

50

51

DVR-216G-K1

DVR-232G-K2

DVR-204Q-F1

DVR-204Q-K1

DVR-208Q-F1

DVR-208Q-K1

HiLook



Price (Rials)

۵۲,۷۸۰,۰۰۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

DVR Type

16-ch
TVI/AHD/CVI/CVBS32-ch
TVI/AHD/CVI/CVBS4-ch
TVI/AHD/CVI/CVBS4-ch
TVI/AHD/CVI/CVBS8-ch
TVI/AHD/CVI/CVBS8-ch
TVI/AHD/CVI/CVBS

Analog Video Input

16 Ch. HDTV/Analog
Up to 3MP32 Ch. HDTV/Analog
Up to 3MP4 Ch. HDTV/Analog
Up to 3MP4 Ch. HDTV/Analog
Up to 2MP8 Ch. HDTV/Analog
Up to 3MP8 Ch. HDTV/Analog
Up to 3MP

Video Output

1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB

SATA Interface

1 HDD up to 6TB

2 HDD up to 10TB

1 HDD up to 6TB

1 HDD up to 10TB

1 HDD up to 6TB

1 HDD up to 6TB

Compression Standard

H.264+

H.265 Pro+

H.264+

H.265+

H.264+

H.265+

Other Features

SupportsPTZ control via
Omnicast VMS of
Genetec protocoSupportsPTZ control via
Omnicast VMS of
Genetec protocoSupportsPTZ control via
Omnicast VMS of
Genetec protocoSmart search for
efficient playback
Support the 3rd party
cloud storageSupportsPTZ control via
Omnicast VMS of
Genetec protocoSmart search for
efficient playback
Support the 3rd party
cloud storage

52

53

54

55

56

57

DVR-208Q-K2

DVR-216Q-F1

DVR-216Q-F2

DVR-216Q-K1

DVR-216Q-K2

DVR-232Q-K2

HiLook



Price (Rials)

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

DVR Type

8-ch
TVI/AHD/CVI/CVBS16-ch
TVI/AHD/CVI/CVBS16-ch
TVI/AHD/CVI/CVBS16-ch
TVI/AHD/CVI/CVBS16-ch
TVI/AHD/CVI/CVBS32-ch
TVI/AHD/CVI/CVBS

Analog Video Input

8 Ch. HDTV/Analog
Up to 3MP16 Ch. HDTV/Analog
Up to 3MP16 Ch. HDTV/Analog
Up to 3MP16Ch. HDTV/Analog
AHD Up to 5MP16Ch. HDTV/Analog
AHD Up to 6MP5 Ch. HDTV/Analog
Up to 4MP

Video Output

1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB

SATA Interface

1 HDD up to 6TB

1 HDD up to 6TB

2 HDD up to 6TB

1 HDD up to 10TB

2 HDD up to 10TB

2 HDD up to 10TB

Compression Standard

H.265 Pro+

H.264+

H.264+

H.265+

H.265+

H.265 Pro+

Other Features

SupportsPTZ control via
Omnicast VMS of
Genetec protocoSupportsPTZ control via
Omnicast VMS of
Genetec protocoSupportsPTZ control via
Omnicast VMS of
Genetec protocoSmart search for
efficient playback
Support the 3rd party
cloud storageSmart search for
efficient playback
Support the 3rd party
cloud storageSupportsPTZ control via
Omnicast VMS of
Genetec protoco

58

59

60

61

62

63

DVR-204U-F1

DVR-204U-K1

DVR-208U-F1

DVR-208U-K1

DVR-216U-F2

DVR-216U-K2

HiLook



Price (Rials)	۴۲,۴۰,۰۰۰	۵۱,۸۷,۰۰۰	Call: +۲۱-۸۸۵۰۰۰۲۰	Call: +۲۱-۸۸۵۰۰۰۲۰	۱۳۴,۵۹,۰۰۰	۱۳۴,۵۹,۰۰۰
DVR Type	4-ch TVI/AHD/CVI/CVBS	4-ch TVI/AHD/CVI/CVBS	8-ch TVI/AHD/CVI/CVBS	8-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS
Analog Video Input	4 Ch. HDTV/Analog Up to 5MP	4 Ch. HDTV/Analog Up to 5MP	8 Ch. HDTV/Analog Up to 5MP	8 Ch. HDTV/Analog Up to 5MP	16Ch. HDTV/Analog AHD Up to 5MP	16 Ch. HDTV/Analog Up to 5MP
Video Output	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB
SATA Interface	1 HDD up to 6TB	1 HDD up to 10TB	1 HDD up to 6TB	1 HDD up to 10TB	2 HDD up to 6TB	2 HDD up to 8TB
Compression Standard	H.265+	H.265+	H.265+	H.265+	H.265+	H.265+
Other Features	Defogging function enabled for the supported analog cameras	Defogging function enabled for the supported analog cameras	Defogging function enabled for the supported analog cameras	Internet & Smart Phone compatible	Defogging function enabled for the supported analog cameras	Defogging function enabled for the supported analog cameras