

HiLook

لیست قیمت رسمی تابستان ۱۴۰۱

تارتن دژ آریانا

جهت اطلاع از تخفیف جشنواره هر محصول تماس بگیرید:

۰۲۱-۹۱۰۰۹۵۵۵

۰۹۹۳-۳۲۴۰۸۹۹



نماینده مرکزی محصولات هایلوک

1

2

3

4

5

6

THC-B110-M

THC-B120-P

THC-B120-PC

THC-B120-M

THC-B120-MS

THC-B120-MC

HiLook



Price (Rials)

Call : 9109555

7,320,000

6,220,000

7,690,000

9,150,000

7,320,000

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Bullet

Resolution

1 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Lens

2.8, 3.6, 6mm Fix

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8mm Fix

Viewing Angle

105°/85°/65°

105°

105°

105°

105°

105°

IR Range

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 20m (EXIR)

Body Type

Metal

Plastic

Plastic

Metal

Metal

Metal

IP Standard

IP66

IP66

IP66

IP66

IP66

IP66

OSD Menu

No

No

No

No

No

No

WDR

No

No

No

No

No

No

Other Features

Smart IR, Switchable
TVI/AHD/CVI/CVBSSmart IR, Switchable
TVI/AHD/CVI/CVBSSmart IR, Switchable
TVI/AHD/CVI/CVBSSmart IR, Switchable
TVI/AHD/CVI/CVBSBuilt in Mic, Smart IR,
Switchable
TVI/AHD/CVI/CVBSSmart IR, Switchable
TVI/AHD/CVI/CVBS

7

8

9

10

11

12

THC-B120-MPIRL

THC-B123-M

THC-B140-P

THC-B140-M

THC-B150-M

THC-B220

HiLook



Price (Rials)	Call : 9109555	9,510,000	Call : 9109555	Call : 9109555	9,880,000	8,780,000
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Resolution	2 Megapixel	2 Megapixel	4 Megapixel	4 Megapixel	5 Megapixel	2 Megapixel
Lens	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix
Viewing Angle	105°	105°	105°	105°	105°	105°
IR Range	Up to 20m	Up to 30m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m	Up to 40m (EXIR)
Body Type	Plastic	Metal	Plastic	Metal	Metal	Metal & Plastic
IP Standard	IP66	IP66	IP66	IP66	IP66	IP66
OSD Menu	No	No	No	No	No	No
WDR	No	Yes	No	No	No	No
Other Features	Smart IR, Switchable TVI/AHD/CVI/CVBS, PIR	Smart IR, Switchable TVI/AHD/CVI/CVBS, 3D DNR	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS

13

14

15

16

17

18

THC-B220C

THC-B220-M

THC-B240

THC-B240-M

THC-T110-P

THC-T120

HiLook



Price (Rials)	Call : ٩١٠٠٩٥٥٥	Call : ٩١٠٠٩٥٥٥	Call : ٩١٠٠٩٥٥٥	Call : ٩١٠٠٩٥٥٥	Call : ٩١٠٠٩٥٥٥	Call : ٩١٠٠٩٥٥٥
Camera Type	Bullet	Bullet	Bullet	Bullet	Dome	Dome
Resolution	2 Megapixel	2 Megapixel	4 Megapixel	4 Megapixel	1 Megapixel	2 Megapixel
Lens	2.8/3.6/6mm Fix	2.8/3.6/6mm Fix	2.8mm Fix	2.8/3.6/6mm Fix	2.8/3.6/6mm Fix	2.8mm Fix
Viewing Angle	105°/85°/65°	105°/85°/65°	105°	105°/85°/65°	105°/85°/65°	105°
IR Range	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)
Body Type	Metal	Metal	Metal	Metal	Plastic	Metal & Plastic
IP Standard	IP66	IP66	IP66	IP66	IP66	IP66
OSD Menu	Yes	Yes	No	Yes	No	No
WDR	DWDR	No	No	No	No	No
Other Features	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS

19

20

21

22

23

24

THC-T120-PC

THC-T120-PS

THC-T120-M

THC-T120-MS

THC-T123

THC-T123-P

HiLook



Price (Rials)

Call : 91009555

7,690,000

Call : 91009555

Call : 91009555

Call : 91009555

7,690,000

Camera Type

Dome

Dome

Dome

Dome

Dome

Dome

Resolution

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Lens

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8/3.6/6mm Fix

2.8mm Fix

Viewing Angle

105°

105°

105°

105°

105°/85°/65°

105°

IR Range

Up to 20m (EXIR)

Up to 20m

Up to 20m (EXIR)

Up to 20m

Up to 30m (EXIR)

Up to 30m (EXIR)

Body Type

Plastic

Plastic

Metal

Metal

Metal

Plastic

IP Standard

IP66

IP66

IP66

IP66

IP66

IP66

OSD Menu

No

No

No

No

No

No

WDR

No

No

No

No

No

Yes

Other Features

Smart IR, Switchable
TVI/AHD/CVI/CVBSBuilt in Mic, Smart IR,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSBuilt in Mic, Smart IR,
BLC, Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, Switchable
TVI/AHD/CVI/CVBS, 3D
DNR

25

26

27

28

29

30

THC-T140-P

THC-T140

THC-T140-M

THC-T220-P

THC-T220-PC

THC-T220-M

HiLook



Price (Rials)

٩,٥١٠,٠٠٠

٩,٨٨٠,٠٠٠

١٠,٢٥٠,٠٠٠

Call : ٩١٠٠٩٥٥٥

٦,٨٦٠,٠٠٠

Call : ٩١٠٠٩٥٥٥

Camera Type

Dome

Dome

Dome

Dome

Dome

Dome

Resolution

4 Megapixel

4 Megapixel

4 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Lens

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8mm Fix

Viewing Angle

105°

105°

105°

105°

105°

105°

IR Range

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 40m (EXIR)

Up to 40m

Up to 40m (EXIR)

Body Type

Plastic

Metal & Plastic

Metal

Plastic

Plastic

Metal

IP Standard

IP66

IP66

IP66

IP66

IP66

IP66

OSD Menu

No

No

No

No

No

No

WDR

No

No

No

No

No

No

Other Features

Smart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBS

31

32

33

34

35

36

THC-T240-P

THC-T240-M

THC-B320-VF

THC-B340-VF

THC-D320-VF

THC-D340-VF

HiLook



Price (Rials)

۱۰,۷۹۰,۰۰۰

۱۱,۷۱۰,۰۰۰

۱۷,۵۶۰,۰۰۰

۱۹,۳۹۰,۰۰۰

۱۹,۰۲۰,۰۰۰

۲۰,۱۲۰,۰۰۰

Camera Type

Dome

Dome

Bullet

Bullet

Dome

Dome

Resolution

4 Megapixel

4 Megapixel

2 Megapixel

4 Megapixel

2 Megapixel

4 Megapixel

Lens

2.8mm Fix

2.8mm Fix

2.8 - 12mm Varifocal

2.8 - 12mm Varifocal

2.8 - 12mm Varifocal

2.8 - 12mm Varifocal

Viewing Angle

105°

105°

111.5°-33.4°

111.5°-33.4°

111.5°-33.4°

111.5°-33.4°

IR Range

Up to 40m (EXIR)

Up to 40m (EXIR)

Up to 40m (EXIR)

Up to 40m (EXIR)

Up to 40m (EXIR)

Up to 40m (EXIR)

Body Type

Plastic

Metal

Metal & Plastic

Metal & Plastic

Metal

Metal

IP Standard

IP66

IP66

IP66

IP66

IP66

IP66

OSD Menu

No

No

No

No

No

No

WDR

No

No

No

No

No

No

Other Features

Smart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBS

37

38

THC-T320-VF

THC-T340-VF

HiLook



Price (Rials)	۱۷,۵۶۰,۰۰۰	۱۹,۳۹۰,۰۰۰
Camera Type	Dome	Dome
Resolution	2 Megapixel	4 Megapixel
Lens	2.8 - 12mm Varifocal	2.8 - 12mm Varifocal
Viewing Angle	111.5°-33.4°	111.5°-33.4°
IR Range	Up to 40m (EXIR)	Up to 40m (EXIR)
Body Type	Metal & Plastic	Metal & Plastic
IP Standard	IP66	IP66
OSD Menu	No	No
WDR	No	No
Other Features	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS

39

40

41

PTZ-T4215I-D

PTZ-T4225I-D

PTZ-T5225I-A

HiLook



Price (Rials)

۸۰,۴۷۰,۰۰۰

۹۵,۱۰۰,۰۰۰

Call : ۹۱۰۰۹۵۵۵

Camera Type

PTZ

PTZ

PTZ

Resolution

2 Megapixel

2 Megapixel

2 Megapixel

Lens

5 - 75mm Varifocal

4.8 - 120mm Varifocal

4.8 - 120mm Varifocal

Viewing Angle

15x

25x

25x

IR Range

Up to 100m

Up to 100m

Up to 150m

Body Type

-

-

-

IP Standard

IP66

IP66

IP66

OSD Menu

-

-

-

WDR

No

Yes

No

Other Features

3D DNR, Switchable
TurboHD & CVBS Video
Output3D DNR, Switchable
TurboHD & CVBS Video
Output3D DNR, Switchable
TurboHD & CVBS Video
Output

42

43

44

45

46

47

DVR-104G-F1

DVR-108G-F1

DVR-116G-F1

DVR-204G-F1

DVR-208G-F1

DVR-216G-F1

HiLook



Price (Rials)

Call : ۹۱۰۰۹۵۵۵

Call : ۹۱۰۰۹۵۵۵

Call : ۹۱۰۰۹۵۵۵

Call : ۹۱۰۰۹۵۵۵

۱۸,۶۶۰,۰۰۰

۳۲,۱۹۰,۰۰۰

DVR Type

4-ch
TVI/AHD/CVI/CVBS8-ch
TVI/AHD/CVI/CVBS16-ch
TVI/AHD/CVI/CVBS4-ch
TVI/AHD/CVI/CVBS8-ch
TVI/AHD/CVI/CVBS16-ch
TVI/AHD/CVI/CVBS

Analog Video Input

4 Ch. HDTV/Analog
Up to 2MP8 Ch. HDTV/Analog
Up to 2MP16 Ch. HDTV/Analog
Up to 2MP4 Ch. HDTV/Analog
Up to 2MP8 Ch. HDTV/Analog
Up to 2MP16Ch. HDTV/Analog
AHD Up to 2MP

Video Output

1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB

SATA Interface

1 HDD up to 4TB

1 HDD up to 4TB

1 HDD up to 6TB

1 HDD up to 6TB

1 HDD up to 6TB

1 HDD up to 6TB

Compression Standard

H.265+

H.265+

H.264+

H.264+

H.264+

H.264+

Other Features

Smart search for
efficient playbackSmart search for
efficient playbackMax. 1200 m for 720p
HDTV signal
transmissionSupport multiple VCA
both analog and smart
IP camerasSupport multiple VCA
both analog and smart
IP camerasSupport multiple VCA
both analog and smart
IP cameras

48

49

50

51

52

53

DVR-216G-K1

DVR-232G-K2

DVR-204Q-F1

DVR-204Q-K1

DVR-208Q-F1

DVR-208Q-K1

HiLook



Price (Rials)

۳۰,۷۰۰,۰۰۰

۸۴,۲۵۰,۰۰۰

Call : ۹۱۰۰۹۵۵۵

۲۱,۹۵۰,۰۰۰

Call : ۹۱۰۰۹۵۵۵

۴۱,۷۰۰,۰۰۰

DVR Type

16-ch
TVI/AHD/CVI/CVBS32-ch
TVI/AHD/CVI/CVBS4-ch
TVI/AHD/CVI/CVBS4-ch
TVI/AHD/CVI/CVBS8-ch
TVI/AHD/CVI/CVBS8-ch
TVI/AHD/CVI/CVBS

Analog Video Input

16 Ch. HDTV/Analog
Up to 3MP32 Ch. HDTV/Analog
Up to 3MP4 Ch. HDTV/Analog
Up to 3MP4 Ch. HDTV/Analog
Up to 2MP8 Ch. HDTV/Analog
Up to 3MP8 Ch. HDTV/Analog
Up to 3MP

Video Output

1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB

SATA Interface

1 HDD up to 6TB

2 HDD up to 10TB

1 HDD up to 6TB

1 HDD up to 10TB

1 HDD up to 6TB

1 HDD up to 6TB

Compression Standard

H.264+

H.265 Pro+

H.264+

H.265+

H.264+

H.265+

Other Features

SupportsPTZ control via
Omnicast VMS of
Genetec protocoSupportsPTZ control via
Omnicast VMS of
Genetec protocoSupportsPTZ control via
Omnicast VMS of
Genetec protocoSmart search for
efficient playback
Support the 3rd party
cloud storageSupportsPTZ control via
Omnicast VMS of
Genetec protocoSmart search for
efficient playback
Support the 3rd party
cloud storage

54

55

56

57

58

59

DVR-208Q-K2

DVR-216Q-F1

DVR-216Q-F2

DVR-216Q-K1

DVR-216Q-K2

DVR-232Q-K2

HiLook



Price (Rials)	Call : ۹۱۰۰۹۵۵۵	Call : ۹۱۰۰۹۵۵۵	Call : ۹۱۰۰۹۵۵۵	۵۳,۶۶۰,۰۰۰	Call : ۹۱۰۰۹۵۵۵	Call : ۹۱۰۰۹۵۵۵
DVR Type	8-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS	32-ch TVI/AHD/CVI/CVBS
Analog Video Input	8 Ch. HDTV/Analog Up to 3MP	16 Ch. HDTV/Analog Up to 3MP	16 Ch. HDTV/Analog Up to 3MP	16Ch. HDTV/Analog AHD Up to 5MP	16Ch. HDTV/Analog AHD Up to 6MP	5 Ch. HDTV/Analog Up to 4MP
Video Output	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB
SATA Interface	1 HDD up to 6TB	1 HDD up to 6TB	2 HDD up to 6TB	1 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 10TB
Compression Standard	H.265 Pro+	H.264+	H.264+	H.265+	H.265+	H.265 Pro+
Other Features	SupportsPTZ control via Omnicast VMS of Genetec protoco	SupportsPTZ control via Omnicast VMS of Genetec protoco	SupportsPTZ control via Omnicast VMS of Genetec protoco	Smart search for efficient playback Support the 3rd party cloud storage	Smart search for efficient playback Support the 3rd party cloud storage	SupportsPTZ control via Omnicast VMS of Genetec protoco

60

61

62

63

64

65

DVR-204U-F1

DVR-204U-K1

DVR-208U-F1

DVR-208U-K1

DVR-216U-F2

DVR-216U-K2

HiLook



Price (Rials)	۳۰,۰۰۰,۰۰۰	۳۱,۲۸۰,۰۰۰	۴۷,۷۳۰,۰۰۰	۴۷,۷۳۰,۰۰۰	۹۵,۱۳۰,۰۰۰	۹۵,۱۳۰,۰۰۰
DVR Type	4-ch TVI/AHD/CVI/CVBS	4-ch TVI/AHD/CVI/CVBS	8-ch TVI/AHD/CVI/CVBS	8-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS
Analog Video Input	4 Ch. HDTV/Analog Up to 5MP	4 Ch. HDTV/Analog Up to 5MP	8 Ch. HDTV/Analog Up to 5MP	8 Ch. HDTV/Analog Up to 5MP	16Ch. HDTV/Analog AHD Up to 5MP	16 Ch. HDTV/Analog Up to 5MP
Video Output	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB
SATA Interface	1 HDD up to 6TB	1 HDD up to 10TB	1 HDD up to 6TB	1 HDD up to 10TB	2 HDD up to 6TB	2 HDD up to 8TB
Compression Standard	H.265+	H.265+	H.265+	H.265+	H.265+	H.265+
Other Features	Defogging function enabled for the supported analog cameras	Defogging function enabled for the supported analog cameras	Defogging function enabled for the supported analog cameras	Internet & Smart Phone compatible	Defogging function enabled for the supported analog cameras	Defogging function enabled for the supported analog cameras