

HiLook

لیست قیمت رسمی بهار ۱۴۰۲

تارتن دژ آریانا

جهت اطلاع از تخفیف جشنواره هر محصول تماس بگیرید:

۰۲۱-۸۸۵۰۰۰۲۰

۰۹۹۳-۳۲۴۰۸۹۹



نماینده مرکزی محصولات هایلوک

1	2	3	4	5	6
IPC-B120	IPC-B120H	IPC-B121H	IPC-B121H-M	IPC-B140H	IPC-B140H-M

HiLook



Price (Rials)	Call: +۲۱-۸۸۵۰۰۰۲۰	Call: +۲۱-۸۸۵۰۰۰۲۰	۳۰,۸۰۰,۰۰۰	Call: +۲۱-۸۸۵۰۰۰۲۰	۳۳,۱۲۰,۰۰۰	Call: +۲۱-۸۸۵۰۰۰۲۰
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Resolution	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	4 Megapixel	4 Megapixel
Lens	2.8mm Fix	2.8/4/6mm Fix	2.8mm Fix	2.8/4mm Fix	2.8/4/6mm Fix	2.8/4mm Fix
Viewing Angle	105°	103°/86°/54°	112.1°	112.1°/90.2°	103°/86°/54°	98°/78.7°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m EXIR	Up to 30m IR	Up to 30m IR
Body Type	-	Metal & Plastic	Plastic	Plastic	Metal & Plastic	Plastic
Standard	IP67	IP67	IP67	IP67	IP67	IP67
SD Card Support	No	No	No	No	No	No
WDR	No	No	Yes	DWDR	No	Yes
Microphone Support	No	No	No	No	No	No
POE	Yes	Yes	Yes	Yes	Yes	Yes
Other Features	3D DNR, BLC, H.264+	H.265+, 3D DNR, BLC, Supports Hik-Connect				

	7	8	9	10	11	12
	IPC-B150H	IPC-B220	IPC-B220-D	IPC-T120	IPC-T120-D	IPC-T220



Price (Rials)	۴۲,۹۵۰,۰۰۰	۲۶,۵۵۰,۰۰۰	۲۵,۳۶۰,۰۰۰	۲۵,۸۸۰,۰۰۰	۲۴,۸۴۰,۰۰۰	۲۹,۲۶۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Dome	Dome	Dome
Resolution	5 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8/4mm Fix	4mm Fix	4mm Fix	2.8/4/6mm Fix	2.8mm Fix	2.8/4/6mm Fix
Viewing Angle	98°/75.3°	86°	86°	103°/86°/54°	105°	103°/86°/54°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 10m IR	Up to 10m IR	Up to 30m IR
Body Type	Plastic	-	-	Plastic	-	Metal & Plastic
Standard	IP67	IP67	IP67	IP67	IP67	IP67
SD Card Support	No	No	No	No	No	No
WDR	Yes	DWDR	No	No	No	Yes
Microphone Support	No	No	No	No	No	No
POE	Yes	Yes	No	Yes	No	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.264, 3D DNR, BLC	H.264, 3D DNR, BLC	Supports Hik-Connect , BLC, H.264+	3D DNR, H.264+	Supports Hik-Connect ,3D DNR, BLC, H.264+

	13	14	15	16	17	18
	IPC-T220-H	IPC-T221-H	IPC-T240H	IPC-D120	IPC-D120H	IPC-D121H

HiLook



Price (Rials)	۲۹,۶۱۰,۰۰۰	Call: +۲۱-۸۸۵۰۰۰۲۰	۳۹,۸۵۰,۰۰۰	۳۰,۰۲۰,۰۰۰	Call: +۲۱-۸۸۵۰۰۰۲۰	۲۵,۸۸۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome	Dome	Dome
Resolution	2 Megapixel	2 Megapixel	4 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8/4/6mm Fix	2.8/4mm Fix	2.8/4/6mm Fix	2.8mm Fix	2.8/4/6mm Fix	2.8/4mm Fix
Viewing Angle	103°/86°/54°	105°/81°	103°/86°/54°	105°	103°/86°/54°	112.1°/90.2°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR
Body Type	Metal & Plastic	Metal & Plastic	Metal & Plastic	-	Metal & Plastic	Metal & Plastic
Standard	IP67	IP67	IP67	IP67 & IK10	IP67 & IK10	IP67 & IK10
SD Card Support	Yes	No	No	No	No	No
WDR	No	DWDR	No	No	No	DWDR
Microphone Support	No	No	No	No	No	No
POE	Yes	Yes	Yes	Yes	Yes	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	3D DNR BLC, H.264+	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

	19	20	21	22	23	24
	IPC-D121H-M	IPC-D140H	IPC-D150H	IPC-B620H-V	IPC-B620H-Z	IPC-B621-V

HiLook



Price (Rials)	Call: +۲۱-۸۸۵۰۰۰۲۰	۳۸,۱۹۰,۰۰۰	۴۶,۲۱۰,۰۰۰	۵۴,۰۳۰,۰۰۰	۶۰,۹۵۰,۰۰۰	۵۲,۲۷۰,۰۰۰
Camera Type	Dome	Dome	Dome	Bullet	Bullet	Bullet
Resolution	2 Megapixel	4 Megapixel	5 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8/4mm Fix	2.8/4/6mm Fix	2.8/4mm Fix	2.8-12mm Varifocal	2.8-12mm Motorized	2.8-12mm Varifocal
Viewing Angle	112.1°/90.2°	103°/86°/54°	98°/75.3°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°
IR Range	Up to 30m IR					
Body Type	Metal & Plastic					
Standard	IP67 & IK10	IP67 & IK10	IP67 & IK10	IP67	IP67	IP66
SD Card Support	No	No	No	Yes	Yes	Yes
WDR	DWDR	No	Yes	No	No	DWDR
Microphone Support	No	No	No	No	No	Yes
POE	Yes	Yes	Yes	Yes	Yes	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect					

	25	26	27	28	29	30
	IPC-B621-Z	IPC-B640H-V	IPC-B640H-Z	IPC-T620-Z	IPC-D620H-V	IPC-D620H-Z

HiLook



Price (Rials)	۵۹,۵۱۰,۰۰۰	Call: ۰۲۱-۸۸۵۰۰۰۲۰	۶۷,۲۷۰,۰۰۰	۶۱,۰۶۰,۰۰۰	۵۴,۰۳۰,۰۰۰	۶۶,۲۴۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Dome	Dome	Dome
Resolution	2 Megapixel	4 Megapixel	4 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8-12mm Motorized	2.8-12mm Varifocal	2.8-12mm Motorized	2.8-12mm Motorized	2.8-12mm Varifocal	2.8-12mm Motorized
Viewing Angle	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°
IR Range	Up to 30m IR					
Body Type	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal	-
Standard	IP66	IP67	IP67	IP67	IP67 & IK10	IP67 & IK10
SD Card Support	Yes	Yes	Yes	No	No	No
WDR	DWDR	Yes	Yes	Yes	No	No
Microphone Support	Yes	No	No	No	No	No
POE	Yes	Yes	Yes	Yes	Yes	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.264+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

31

32

IPC-D640H-V

IPC-D640H-Z

HiLook



Price (Rials)	۵۸,۶۸۰,۰۰۰	Call: +۲۱-۸۸۵۰۰۰۲۰
Camera Type	Dome	Dome
Resolution	4 Megapixel	4 Megapixel
Lens	2.8-12mm Varifocal	2.8-12mm Varifocal
Viewing Angle	111.5°-33.4°	111.5°-33.4°
IR Range	Up to 30m IR	Up to 30m IR
Body Type	Metal	Metal
Standard	IP67 & IK10	IP67 & IK10
SD Card Support	Yes	Yes
WDR	Yes	Yes
Microphone Support	No	No
POE	Yes	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

33

34

35

PTZ-N4215-DE3

PTZ-N4215I-DE

PTZ-N4225I-DE

HiLook



Price (Rials)

Call: +۲۱-۸۸۵۰۰۰۲۰

۸۸,۰۰۰,۰۰۰

۹۹,۴۰۰,۰۰۰

Camera Type

PTZ

PTZ

PTZ

Resolution

2 Megapixel

2 Megapixel

2 Megapixel

Lens

5-75mm Varifocal

5-75mm Varifocal

4.8-120mm Varifocal

Viewing Angle

15x

15x

25x

IR Range

-

Up to 100m IR

Up to 100m IR

Body Type

-

-

-

Standard

-

IP66

IP66

SD Card Support

Yes

Yes

Yes

WDR

Yes

Yes

Yes

Microphone Support

No

No

No

POE

Yes

Yes

Yes

Other Features

H.265+, 3D DNR, BLC,

H.265+, 3D DNR, BLC

H.265+, 3D DNR, BLC

36

37

38

39

40

41

NVR-104-B

NVR-108-B

NVR-108-B/8P

NVR-104H-D

NVR-108H-D

NVR-104MH-C

HiLook



Price (Rials)	۲۱,۴۳۰,۰۰۰	۱۹,۹۲۰,۰۰۰	۳۰,۴۹۰,۰۰۰	۲۰,۳۳۰,۰۰۰	۲۸,۴۷۰,۰۰۰	۲۶,۷۷۰,۰۰۰
NVR Type	4-ch	8-ch	8-ch	4-ch	8-ch	4-ch
Input BandWidth	40Mbps	40Mbps	60Mbps	40Mbps	60Mbps	40Mbps
Output Bandwidth	40Mbps	40Mbps	40Mbps	60Mbps	60Mbps	80Mbps
Resolution Support	8 Megapixel	8 Megapixel	8 Megapixel	4 Megapixel	4 Megapixel	8 Megapixel
Video Output	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP
POE Ports	-	-	8 ch POE	-	-	-
Compression Standard	H.264+	H.264+	H.264+	H.265+	H.265+	H.265+
SATA Interface	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB
Other Features	Supports multiple VCA, Smart search, Smart playback	Supports multiple VCA, Smart search, Smart playback	Supports multiple VCA, Smart search, Smart playback	Supports multiple, Smart search, Smart playback	Supports multiple, Smart search, Smart playback	VCA detection alarm, Smart search, Smart playback

42

43

44

45

46

47

NVR-104MH-C/4P

NVR-104MH-D

NVR-104MH-D/4P

NVR-108MH-C

NVR-108M-C/8P

NVR-108MH-D

HiLook



Price (Rials)

Call: +۲۱-۸۸۵۰۰۰۲۰

۲۵,۱۵۰,۰۰۰

۴۰,۱۴۰,۰۰۰

۴۲,۱۷۰,۰۰۰

Call: +۲۱-۸۸۵۰۰۰۲۰

۳۲,۰۹۰,۰۰۰

NVR Type

4-ch

4-ch

4-ch

8-ch

8-ch

8-ch

Input BandWidth

40Mbps

40Mbps

40Mbps

80Mbps

80Mbps

60Mbps

Output Bandwidth

80Mbps

80Mbps

80Mbps

80Mbps

80Mbps

40Mbps

Resolution Support

8 Megapixel

4 Megapixel

4 Megapixel

8 Megapixel

8 Megapixel

8 Megapixel

Video Output

1 Port HDMI : 4K
1 Port VGA : 2MP1 Port HDMI : 4K
1 Port VGA1 Port HDMI : 4K
1 Port VGA1 Port HDMI : 4K
1 Port VGA : 2MP1 Port HDMI : 4K
1 Port VGA : 2MP1 Port HDMI : 1080P
1 Port VGA : 1080P

POE Ports

4 ch POE

-

4 ch POE

-

8 ch POE

-

Compression Standard

H.265+

H.265+

H.265+

H.265+

H.265+

H.264+

SATA Interface

1 HDD up to 6TB

Other Features

VCA detection alarm,
Smart search, Smart
playbackVCA detection alarm,
Smart search, Smart
playbackVCA detection alarm,
Smart search, Smart
playbackVCA detection alarm,
Smart search, Smart
playbackSupport multiple VCA
(Video Content
Analytics) eventsVCA detection alarm,
Smart search, Smart
playback

48

49

50

51

52

NVR-108MH-D/8P

NVR-116MH-C

NVR-208MH-C

NVR-216MH-C

NVR-216MH-C/16P

HiLook



Price (Rials)	۴۷,۵۰۰,۰۰۰	۴۸,۶۶۰,۰۰۰	۴۲,۱۷۰,۰۰۰	Call: +۲۱-۸۸۵۰۰۰۲۰	Call: +۲۱-۸۸۵۰۰۰۲۰
NVR Type	8-ch	16-ch	8-ch	16-ch	16-ch
Input BandWidth	60Mbps	80Mbps	80Mbps	160Mbps	160Mbps
Output Bandwidth	60Mbps	160Mbps	80Mbps	80Mbps	80Mbps
Resolution Support	4 Megapixel	8 Megapixel	8 Megapixel	8 Megapixel	8 Megapixel
Video Output	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP
POE Ports	8 ch POE	-	-	-	16 ch POE
Compression Standard	H.265+	H.265+	H.265+	H.265+	H.265+
SATA Interface	1 HDD up to 6TB	1 HDD up to 6TB	2 HDD up to 6TB	2 HDD up to 6TB	2 HDD up to 6TB
Other Features	VCA detection alarm, Smart search, Smart playback				