

HiLook

لیست قیمت رسمی تابستان ۱۴۰۱

تارتن دژ آریانا

جهت اطلاع از تخفیف جشنواره هر محصول تماس بگیرید:

۰۲۱-۹۱۰۰۹۵۵۵

۰۹۹۳-۳۲۴۰۸۹۹



نماینده مرکزی محصولات هایلوک

	1	2	3	4	5	6
	IPC-B120	IPC-B120H	IPC-B120-D/W	IPC-B121H	IPC-B121H-M	IPC-B140H



Price (Rials)	Call : ٩١٠٠٩٥٥٥	١٨,٧٧٠,٠٠٠	Call : ٩١٠٠٩٥٥٥	١٨,٢٩٠,٠٠٠	Call : ٩١٠٠٩٥٥٥	٢٢,٤٨٠,٠٠٠
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Resolution	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	4 Megapixel
Lens	2.8mm Fix	2.8/4/6mm Fix	2.8mm Fix	2.8mm Fix	2.8/4mm Fix	2.8/4/6mm Fix
Viewing Angle	105°	103°/86°/54°	114.5°	112.1°	112.1°/90.2°	103°/86°/54°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m EXIR	Up to 30m IR
Body Type	-	Metal & Plastic	Metal & Plastic	Plastic	Plastic	Metal & Plastic
Standard	IP67	IP67	IP66	IP67	IP67	IP67
SD Card Support	No	No	No	No	No	No
WDR	No	No	DWDR	Yes	DWDR	No
Microphone Support	No	No	Yes	No	No	No
POE	Yes	Yes	No	Yes	Yes	Yes
Other Features	3D DNR, BLC, H.264+	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.264, 3D DNR, BLC, Supports Hik-Connect, Wireless connection	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

7

8

9

10

11

12

IPC-B140H-M

IPC-B150H

IPC-B220

IPC-B220-D

IPC-T120

IPC-T120-D

HiLook



Price (Rials)

Call : 91009555

۲۹,۲۶۰,۰۰۰

۱۸,۷۷۰,۰۰۰

۱۷,۹۳۰,۰۰۰

۱۸,۲۹۰,۰۰۰

۱۷,۵۶۰,۰۰۰

Camera Type

Bullet

Bullet

Bullet

Bullet

Dome

Dome

Resolution

4 Megapixel

5 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Lens

2.8/4mm Fix

2.8/4mm Fix

4mm Fix

4mm Fix

2.8/4/6mm Fix

2.8mm Fix

Viewing Angle

98°/78.7°

98°/75.3°

86°

86°

103°/86°/54°

105°

IR Range

Up to 30m IR

Up to 30m IR

Up to 30m IR

Up to 30m IR

Up to 10m IR

Up to 10m IR

Body Type

Plastic

Plastic

-

-

Plastic

-

Standard

IP67

IP67

IP67

IP67

IP67

IP67

SD Card Support

No

No

No

No

No

No

WDR

Yes

Yes

DWDR

No

No

No

Microphone Support

No

No

No

No

No

No

POE

Yes

Yes

Yes

No

Yes

No

Other Features

H.265+, 3D DNR, BLC, Supports Hik-Connect

H.265+, 3D DNR, BLC, Supports Hik-Connect

H.264, 3D DNR, BLC

H.264, 3D DNR, BLC

Supports Hik-Connect , BLC, H.264+

3D DNR, H.264+

	13	14	15	16	17	18
	IPC-T220	IPC-T220-H	IPC-T221-H	IPC-T240H	IPC-D120	IPC-D120H
						
Price (Rials)	۱۹,۶۰۰,۰۰۰	۲۰,۰۸۰,۰۰۰	۲۰,۸۰۰,۰۰۰	۲۷,۰۰۰,۰۰۰	۱۸,۶۶۰,۰۰۰	Call : ۹۱۰۰۹۵۵۵
Camera Type	Dome	Dome	Dome	Dome	Dome	Dome
Resolution	2 Megapixel	2 Megapixel	2 Megapixel	4 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8/4/6mm Fix	2.8/4/6mm Fix	2.8/4mm Fix	2.8/4/6mm Fix	2.8mm Fix	2.8/4/6mm Fix
Viewing Angle	103°/86°/54°	103°/86°/54°	105°/81°	103°/86°/54°	105°	103°/86°/54°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR
Body Type	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	-	Metal & Plastic
Standard	IP67	IP67	IP67	IP67	IP67 & IK10	IP67 & IK10
SD Card Support	No	Yes	No	No	No	No
WDR	Yes	No	DWDR	No	No	No
Microphone Support	No	No	No	No	No	No
POE	Yes	Yes	Yes	Yes	Yes	Yes
Other Features	Supports Hik-Connect ,3D DNR, BLC, H.264+	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	3D DNR BLC, H.264+	H.265+, 3D DNR, BLC, Supports Hik-Connect

	19	20	21	22	23	24
	IPC-D121H	IPC-D121H-M	IPC-D140H	IPC-D150H	IPC-B620H-V	IPC-B620H-Z
						
Price (Rials)	۱۸,۲۹۰,۰۰۰	۱۸,۲۹۰,۰۰۰	۲۷,۰۰۰,۰۰۰	Call : ۹۱۰۰۹۵۵۵	۳۸,۱۹۰,۰۰۰	۴۲,۸۰۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome	Bullet	Bullet
Resolution	2 Megapixel	2 Megapixel	4 Megapixel	5 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8/4mm Fix	2.8/4mm Fix	2.8/4/6mm Fix	2.8/4mm Fix	2.8-12mm Varifocal	2.8-12mm Motorized
Viewing Angle	112.1°/90.2°	112.1°/90.2°	103°/86°/54°	98°/75.3°	111.5°-33.4°	111.5°-33.4°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR
Body Type	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic
Standard	IP67 & IK10	IP67 & IK10	IP67 & IK10	IP67 & IK10	IP67	IP67
SD Card Support	No	No	No	No	Yes	Yes
WDR	DWDR	DWDR	No	Yes	No	No
Microphone Support	No	No	No	No	No	No
POE	Yes	Yes	Yes	Yes	Yes	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

	25	26	27	28	29	30
	IPC-B621-V	IPC-B621-Z	IPC-B640H-V	IPC-B640H-Z	IPC-T620-Z	IPC-D620H-V

HiLook



Price (Rials)	۳۶,۹۴۰,۰۰۰	۴۲,۰۶۰,۰۰۰	۳۹,۸۰۰,۰۰۰	۴۷,۵۵۰,۰۰۰	۴۳,۱۶۰,۰۰۰	۳۸,۱۹۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet	Dome	Dome
Resolution	2 Megapixel	2 Megapixel	4 Megapixel	4 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8-12mm Varifocal	2.8-12mm Motorized	2.8-12mm Varifocal	2.8-12mm Motorized	2.8-12mm Motorized	2.8-12mm Varifocal
Viewing Angle	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR
Body Type	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal
Standard	IP66	IP66	IP67	IP67	IP67	IP67 & IK10
SD Card Support	Yes	Yes	Yes	Yes	No	No
WDR	DWDR	DWDR	Yes	Yes	Yes	No
Microphone Support	Yes	Yes	No	No	No	No
POE	Yes	Yes	Yes	Yes	Yes	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.264+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

31

32

33

34

IPC-D620H-Z

IPC-D640H-V

IPC-D640H-Z

PTZ-P332ZI-DE3

HiLook



Price (Rials)	۴۶,۸۲۰,۰۰۰	۴۱,۴۸۰,۰۰۰	Call : ۹۱۰۰۹۵۵۵	Call : ۹۱۰۰۹۵۵۵
Camera Type	Dome	Dome	Dome	PTZ
Resolution	2 Megapixel	4 Megapixel	4 Megapixel	2 Megapixel
Lens	2.8-12mm Motorized	2.8-12mm Varifocal	2.8-12mm Varifocal	2.8-12mm Varifocal
Viewing Angle	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	4x
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 10m IR
Body Type	-	Metal	Metal	Aluminum alloy
Standard	IP67 & IK10	IP67 & IK10	IP67 & IK10	-
SD Card Support	No	Yes	Yes	Yes
WDR	No	Yes	Yes	No
Microphone Support	No	No	No	-
POE	Yes	Yes	Yes	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	Capture 360°images

35

36

37

38

39

PTZ-N2204I-DE3

PTZ-N2404I-DE3

PTZ-N4215-DE3

PTZ-N4215I-DE

PTZ-N4225I-DE

HiLook



Price (Rials)

Call : 91009555

Call : 91009555

Call : 91009555

79,500,000

99,400,000

Camera Type

PTZ

PTZ

PTZ

PTZ

PTZ

Resolution

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Lens

2.8-12mm Varifocal

2.8-12mm Varifocal

5-75mm Varifocal

5-75mm Varifocal

4.8-120mm Varifocal

Viewing Angle

4x

4x

15x

15x

25x

IR Range

Up to 20m IR

Up to 20m IR

-

Up to 100m IR

Up to 100m IR

Body Type

Aluminum alloy

Aluminum alloy

-

-

-

Standard

IP66 & IK10

IP66 & IK10

-

IP66

IP66

SD Card Support

Yes

Yes

Yes

Yes

Yes

WDR

Yes

Yes

Yes

Yes

Yes

Microphone Support

No

No

No

No

No

POE

Yes

Yes

Yes

Yes

Yes

Other Features

H.265+, 3D DNR, HLC, EIS

H.265+, 3D DNR, HLC, EIS

H.265+, 3D DNR, BLC,

H.265+, 3D DNR, BLC

H.265+, 3D DNR, BLC

40

41

42

43

44

45

NVR-104-B

NVR-108-B

NVR-108-B/8P

NVR-104H-D

NVR-108H-D

NVR-104MH-C

HiLook



Price (Rials)	۱۵,۱۵۰,۰۰۰	۱۸,۴۴۰,۰۰۰	۳۰,۴۹۰,۰۰۰	۱۴,۳۷۰,۰۰۰	۱۸,۲۹۰,۰۰۰	۱۹,۷۵۰,۰۰۰
NVR Type	4-ch	8-ch	8-ch	4-ch	8-ch	4-ch
Input BandWidth	40Mbps	40Mbps	60Mbps	40Mbps	60Mbps	40Mbps
Output Bandwidth	40Mbps	40Mbps	40Mbps	60Mbps	60Mbps	80Mbps
Resolution Support	8 Megapixel	8 Megapixel	8 Megapixel	4 Megapixel	4 Megapixel	8 Megapixel
Video Output	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP
POE Ports	-	-	8 ch POE	-	-	-
Compression Standard	H.264+	H.264+	H.264+	H.265+	H.265+	H.265+
SATA Interface	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB
Other Features	Supports multiple VCA, Smart search, Smart playback	Supports multiple VCA, Smart search, Smart playback	Supports multiple VCA, Smart search, Smart playback	Supports multiple, Smart search, Smart playback	Supports multiple, Smart search, Smart playback	VCA detection alarm, Smart search, Smart playback

46

47

48

49

50

51

NVR-104MH-C/4P

NVR-104MH-D

NVR-104MH-D/4P

NVR-108MH-C

NVR-108M-C/8P

NVR-108MH-D

HiLook



Price (Rials)

Call : 91009555

15,150,000

25,020,000

27,800,000

Call : 91009555

18,440,000

NVR Type

4-ch

4-ch

4-ch

8-ch

8-ch

8-ch

Input BandWidth

40Mbps

40Mbps

40Mbps

80Mbps

80Mbps

60Mbps

Output Bandwidth

80Mbps

80Mbps

80Mbps

80Mbps

80Mbps

40Mbps

Resolution Support

8 Megapixel

4 Megapixel

4 Megapixel

8 Megapixel

8 Megapixel

8 Megapixel

Video Output

1 Port HDMI : 4K
1 Port VGA : 2MP1 Port HDMI : 4K
1 Port VGA1 Port HDMI : 4K
1 Port VGA1 Port HDMI : 4K
1 Port VGA : 2MP1 Port HDMI : 4K
1 Port VGA : 2MP1 Port HDMI : 1080P
1 Port VGA : 1080P

POE Ports

4 ch POE

-

4 ch POE

-

8 ch POE

-

Compression Standard

H.265+

H.265+

H.265+

H.265+

H.265+

H.264+

SATA Interface

H.265+

1 HDD up to 6TB

1 HDD up to 6TB

1 HDD up to 6TB

1 HDD up to 6TB

1 HDD up to 6TB

Other Features

VCA detection alarm,
Smart search, Smart
playbackVCA detection alarm,
Smart search, Smart
playbackVCA detection alarm,
Smart search, Smart
playbackVCA detection alarm,
Smart search, Smart
playbackSupport multiple VCA
(Video Content
Analytics) eventsVCA detection alarm,
Smart search, Smart
playback

52

53

54

55

56

NVR-108MH-D/8P

NVR-116MH-C

NVR-208MH-C

NVR-216MH-C

NVR-216MH-C/16P

HiLook



Price (Rials)	۴۷,۵۰۰,۰۰۰	۲۹,۶۳۰,۰۰۰	۳۳,۹۷۰,۰۰۰	Call : ۹۱۰۰۹۵۵۵	Call : ۹۱۰۰۹۵۵۵
NVR Type	8-ch	16-ch	8-ch	16-ch	16-ch
Input BandWidth	60Mbps	80Mbps	80Mbps	160Mbps	160Mbps
Output Bandwidth	60Mbps	160Mbps	80Mbps	80Mbps	80Mbps
Resolution Support	4 Megapixel	8 Megapixel	8 Megapixel	8 Megapixel	8 Megapixel
Video Output	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP
POE Ports	8 ch POE	-	-	-	16 ch POE
Compression Standard	H.265+	H.265+	H.265+	H.265+	H.265+
SATA Interface	1 HDD up to 6TB	1 HDD up to 6TB	2 HDD up to 6TB	2 HDD up to 6TB	2 HDD up to 6TB
Other Features	VCA detection alarm, Smart search, Smart playback	VCA detection alarm, Smart search, Smart playback	VCA detection alarm, Smart search, Smart playback	VCA detection alarm, Smart search, Smart playback	VCA detection alarm, Smart search, Smart playback