

HIKVISION

لیست قیمت رسمی تابستان ۱۴۰۱

تارتن دژ آریانا

جشنواره تابستان هایک ویژن

جهت اطلاع از تخفیف جشنواره هر محصول تماس بگیرید:

۰۲۱-۸۸۵۰۰۰۲۰



نمایندگی مرکزی محصولات هایک ویژن

1

2

3

4

5

6

Click for More information

DS-2CE16D0T-ITPF

DS-2CE16D0T-ITFS

DS-2CE16D0T-EXIF

DS-2CE16D0T-EXIPF

DS-2CE16D3T-ITF

DS-2CE17D0T-IT1F



Price (Rials)

٩,٢١٠,٠٠٠

١٠,٨٦٠,٠٠٠

٧,٨٢٠,٠٠٠

٩,٢٢٠,٠٠٠

١٣,٠٨٠,٠٠٠

١٠,٩٠٠,٠٠٠

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Bullet

Imaging Sensor

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Resolution

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.01Lux/F1.2

0.01Lux/F1.2

0.02Lux/F1.2

0.02Lux/F1.2

0.02Lux/F1.2

0.01Lux/F1.2

Lens

2.8/3.6/6mm Fixed

2.8/3.6/6mm Fixed

2.8/3.6mm Fixed

2.8/3.6mm Fixed

2.8/3.6mm Fixed

2.8/3.6mm Fixed

Viewing Angle

106.4°/79.6° /51.9°

106.4°/79.6° /51.9°

102°/81°

96.5°/76.9°

106°/82°

101°/79.6°

IR Range

Up to 25m

Up to 30m (Exir)

Up to 20m

Up to 20m (Exir)

Up to 30m (Exir)

Up to 30m (Exir)

Body Type

Plastic

Metal

Metal

Plastic

Metal

Metal

IP Standard

IP67

IP67

IP66

IP66

IP67

IP67

OSD Menu

No

No

No

No

No

No

WDR

DWDR

DWDR

DWDR

DWDR

Yes (120db)

DWDR

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, HLC, DNR, BLC, 2D DNR, Switchable

HLC,2D DNR, BLC, Switchable, Built-in microphone

2D DNR, BLC, Switchable

2D DNR, BLC, AGC, Switchable

3D DNR,HLC, BLC, Switchable

3D DNR,HLC, BLC, AGC, Switchable

7

8

9

10

11

12

Click for More information

DS-2CE16D0T-VFIR3F

DS-2CE12DF3T-F

DS-2CE56D0T-VFIR3F

DS-2CE76D0T-ITPF(C)

DS-2CE76D0T-ITPFS

DS-2CE76D3T-ITPF



Price (Rials)

19,650,000

19,470,000

19,470,000

6,340,000

8,960,000

10,520,000

Camera Type

Bullet

Bullet

Dome

Dome

Dome

Dome

Imaging Sensor

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Resolution

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.01Lux/F1.2

0.0005Lux/F1.0

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.005Lux/F1.2

Lens

2.8 - 12mm VariFocal

2.8 mm Fixed

2.8 - 12mm VariFocal

2.8/3.6/6mm Fixed

2.8/3.6/6mm Fixed

2.8/3.6/6mm Fixed

Viewing Angle

102.25° - 32°

98°

105° - 32°

103°/82.2° /54°

106°/79.6°

106°/82° /51°

IR Range

Up to 40m

Up to 40m (Color Vu)

Up to 40m

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 30m(Exir)

Body Type

Metal & Plastic

Metal & Plastic

Metal & Plastic

Plastic

Plastic

Plastic

IP Standard

IP66

IP67

IP66

IP66

IP66

IP66

OSD Menu

No

No

No

No

No

Yes

WDR

No

Yes (130db)

No

DWDR

DWDR

Yes (120db)

Power Supply

12 VDC

12 VDC

12V DC

12 VDC

12 VDC

12 VDC

Other Features

ICR, BLC, Smart IR, Switchable

ICR, BLC, Smart IR, 3D DNR/2D DNR, Switchable

Smart IR, ICR, AGC, Switchable

Smart IR, HLC,BLC, Switchable

Smart IR, HLC,BLC, Switchable

Smart IR, HLC,BLC, Switchable

13

14

15

16

17

18

Click for More information

DS-2CE76D0T-ITMFS


DS-2CE16H0T-ITF

DS-2CE17H0T-IT1F

DS-2CE17H0T-IT3F

DS-2CE17H0T-IT5F

DS-2CE56H0T-IT1F



Price (Rials)

11,440,000

12,040,000

13,330,000

14,070,000

15,830,000

14,370,000

Camera Type

Dome

Bullet

Bullet

Bullet

Bullet

Dome

Imaging Sensor

2 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

Resolution

HD1080P

5MP (2592*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.01Lux/F1.2

0.01Lux/F1

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.01 Lux/F1.2

Lens

2.8/3.6/6mm Fixed

2.8/3.6/6mm Fixed

2.4/2.8/3.6mm Fixed

2.8/3.6/6mm Fixed

3.6/6/8mm Fixed

2.8/3.6/6mm Fixed

Viewing Angle

106.4°/79.6°/51.9°

85.5°/80.1°/57.1°

110°/85°/80°

85°/80°/57°

80°/57°/41°

105°/85°/65°

IR Range

Up to 30m (EXIR)

Up to 20m (EXIR)

Up to 30m

Up to 40m

Up to 80m

Up to 20m (EXIR)

Body Type

Metal

Metal

Metal & Plastic

Metal & Plastic

Metal & Plastic

Metal & Plastic

IP Standard

IP67

IP67

IP67

IP67

IP67

IP67

OSD Menu

No

Yes

No

No

No

Yes

WDR

DWDR

DWDR

DWDR

DWDR

DWDR

DWDR

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

ICR,AGC, Switchable

2D DNR, DWDR,
SwitchableSmart IR, 2D DNR,
HLC,BLC, SwitchableSmart IR, 2D DNR,
HLC,BLC, SwitchableSmart IR, 2D DNR,
HLC,BLC, SwitchableSmart IR, ICR, AGC, BLC,
Switchable

19

20

21

22

23

24

Click for More
information

DS-2CE56H0T-IT3ZF

DS-2CE56H1T-IT3E

DS-2CE76H0T-ITPF

DS-2CE76H0T-ITMF

DS-2CE78H0T-IT1F

DS-2CE78H0T-IT3F



Price (Rials)

۲۳,۹۹۰,۰۰۰

۱۹,۵۰۰,۰۰۰

۱۰,۷۲۰,۰۰۰

۱۲,۹۲۰,۰۰۰

۱۳,۶۹۰,۰۰۰

۱۵,۵۷۰,۰۰۰

Camera Type

Dome

Dome

Dome

Dome

Dome

Dome

Imaging Sensor

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

Resolution

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

Signal System

HDTVI,AHD,HDCVI,ANLOG

HD-TVI

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

Lens

2.8 - 12mm Motorized

2.8/3.6/6mm Fixed

2.4/2.8/3.6mm Fixed

2.8/3.6/6mm Fixed

2.4 mm Fixed

2.8/3.6/6mm Fixed

Viewing Angle

105° - 32°

105°/85°/65°

110°/85°/80°

105°/85°/65°

110°

85°/80°/57°

IR Range

Up to 40m (EXIR)

Up to 40m (EXIR)

Up to 20m (EXIR)

Up to 30m (EXIR)

Up to 30m (EXIR)

Up to 40m (EXIR)

Body Type

Metal

Metal & Plastic

Plastic

Metal

Metal & Plastic

Metal & Plastic

IP Standard

IP67

IP67

-

IP67

IP67

IP67

OSD Menu

Yes

Yes

No

No

No

No

WDR

DWDR

DWDR

DWDR

DWDR

DWDR

DWDR

Power Supply

12 VDC

12 VDC/built-in PoC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, ICR, AGC, BLC,
Switchable

Smart IR, ICR, AGC, BLC

Smart IR, ICR, AGC, BLC,
HLCSmart IR, ICR, AGC, BLC,
SwitchableSmart IR, ICR, AGC,
BLC,HLC, SwitchableSmart IR, ICR, AGC,HLC,
BLC, Switchable

25

26

Click for More
information

DS-2CE18U8T-IT3

DS-2CE78U8T-IT3



Price (Rials)

۳۸,۸۳۰,۰۰۰

۳۸,۵۷۰,۰۰۰

Camera Type

Bullet

Dome

Imaging Sensor

8.29 Megapixel

8.29 Megapixel

Resolution

8MP (3840*2160)

8MP (3840*2160)

Signal System

HD-TVI

HD-TVI

Min. Illustration

0.01 Lux/F1.2

0.003 Lux/F1.2

Lens

2.8/3.6/6mm FIX

2.8/3.6/6mm FIX

Viewing Angle

105°/85°/65°

105°/85°/65°

IR Range

Up to 60m (EXIR)

Up to 60m (EXIR)

Body Type

Metal

Metal & Plastic

IP Standard

IP67

IP67

OSD Menu

No

No

WDR

Yes (120db)

Yes (120db)

Power Supply

12 VDC

12 VDC

Other Features

Smart IR, ICR, AGC, BLC

Smart IR, ICR

27

28

29

30

Click for More
information

IDS-7204HQHI-M1/S

IDS-7208HQHI-M1/S

DS-7216HQHI-K1

DS-7216HQHI-K2



Price (Rials)

۳۲,۹۷۰,۰۰۰

۵۱,۵۱۰,۰۰۰

۶۸,۴۱۰,۰۰۰

۸۲,۹۶۰,۰۰۰

DVR Type

4+6 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP8+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP16+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP16+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP

Analog Video Input

4 Ch. HDTV/Analog
Up to 4MP8 Ch. HDTV/Analog
Up to 4MP16 Ch. HDTV/Analog
Up to 4MP16 Ch. HDTV/Analog
Up to 4MP

IP Video Input

6 Ch. Up to 6MP

2 Ch. Up to 6MP

2 Ch. Up to 6MP

2 Ch. Up to 6MP

Audio Input/Output

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

Recording

4MP: 15FPS
3MP: 15FPS
1080P: 15FPS4MP: 15FPS
3MP: 15FPS
1080P: 15FPS4MP: 15FPS
3MP: 15FPS
1080P: 15FPS4MP: 15FPS
3MP: 15FPS
1080P: 15FPS

Video Output

1 Port HDMI 1080P
1 Port VGA,
1Ch. CVBS1 Port HDMI 1080P
1 Port VGA,
1Ch. CVBS1 Port HDMI : 4K
1 Port VGA
1Ch. CVBS1 Port HDMI : 4K
1 Port VGA
1Ch. CVBS

SATA Interface

1 HDD up to 10TB

1 HDD up to 10TB

1 HDD up to 10TB

2 HDD up to 10TB

Network Interface

1 RJ45 100M

1 RJ45 100M

1 RJ45 1000M

1 RJ45 1000M

Chassis

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Other Features

H.265/H.265+
Compression, ONVIF,
Smart SearchH.265/H.265+
Compression, ONVIF,
Smart SearchH.265/H.265+
Compression, ONVIF,
VCA, Smart SearchH.265/H.265+
Compression, ONVIF,
VCA, Smart Search

31

32

33

Click for More
information

DS-7204HUHI-K1

DS-7204HUHI-K1/P

DS-7208HUHI-K2/P



Price (Rials)

۳۶,۷۰,۰۰۰

۳۶,۶۰,۰۰۰

۷۳,۵۷۰,۰۰۰

DVR Type

4 +2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP4 +2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP8 + 4 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP

Analog Video Input

Support
Up to 5MP resolution
recordingSupport
Up to 5MP resolution
recordingSupport
Up to 5MP resolution
recording

IP Video Input

2 Ch. Up to 8MP

2 Ch. Up to 8MP

4 Ch. Up to 8MP

Audio Input/Output

4Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

Recording

5MP: 12FPS
4MP: 15FPS
3mp: 18FPS5MP: 12FPS
4MP: 15FPS
3mp: 18FPS5MP: 12FPS
4MP: 15FPS
3mp: 18FPS

Video Output

1 Port HDMI : 1080P,
1 Port VGA1 Port HDMI : 1080P
1 Port VGA
CVBS: PAL1 Port HDMI : 4K
1 Port VGA : 1080P
CVBS

SATA Interface

1 HDD up to 10TB

1 HDD up to 10TB

2 HDD up to 10TB

Network Interface

1 RJ45 100M

1 RJ45 100M

1 RJ45 100M

Chassis

Standalone 1U

Standalone 1U

Standalone 1U

Other Features

H.265/H.265+ COMPR
Alarm In/Out : 4/1
Onvif, VCAH.265/H.265+ COMPR
Alarm In/Out : 4/1
Built-in PoCH.265/H.265+ COMPR
Alarm In/Out : 8/4
Built-in PoC