

# HIKVISION

لیست قیمت رسمی آذر ۱۴۰۱

تارتن دژ آریانا

جشنواره آذر هایک ویژن

جهت اطلاع از تخفیف جشنواره هر محصول تماس بگیرید:

۰۲۱-۸۸۵۰۰۰۲۰



نمایندگی مرکزی محصولات هایک ویژن

1

2

3

4

5

6

Click for More information

DS-2CE16D0T-ITPF

DS-2CE16D0T-ITFS

DS-2CE16D0T-EXIF

DS-2CE16D0T-EXIPF

DS-2CE16D3T-ITF

DS-2CE17D0T-IT1F



Price (Rials)

۶,۶۳۰,۰۰۰

۱۱,۰۸۰,۰۰۰

۷,۸۴۰,۰۰۰

۶,۴۴۰,۰۰۰

۱۴,۴۰۰,۰۰۰

۱۲,۶۰۰,۰۰۰

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Bullet

Imaging Sensor

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Resolution

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.01Lux/F1.2

0.01Lux/F1.2

0.02Lux/F1.2

0.02Lux/F1.2

0.02Lux/F1.2

0.01Lux/F1.2

Lens

2.8/3.6/6mm Fixed

2.8/3.6/6mm Fixed

2.8/3.6mm Fixed

2.8/3.6mm Fixed

2.8/3.6mm Fixed

2.8/3.6mm Fixed

Viewing Angle

106.4°/79.6° /51.9°

106.4°/79.6° /51.9°

102°/81°

96.5°/76.9°

106°/82°

101°/79.6°

IR Range

Up to 25m

Up to 30m (Exir)

Up to 20m

Up to 20m (Exir)

Up to 30m (Exir)

Up to 30m (Exir)

Body Type

Plastic

Metal

Metal

Plastic

Metal

Metal

IP Standard

IP67

IP67

IP66

IP66

IP67

IP67

OSD Menu

No

No

No

No

No

No

WDR

DWDR

DWDR

DWDR

DWDR

Yes (120db)

DWDR

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, HLC, DNR, BLC, 2D DNR, Switchable

HLC,2D DNR, BLC, Switchable, Built-in microphone

2D DNR, BLC, Switchable

2D DNR, BLC, AGC, Switchable

3D DNR,HLC, BLC, Switchable

3D DNR,HLC, BLC, AGC, Switchable

7

8

9

10

11

12

Click for More information

DS-2CE16D0T-VFIR3F

DS-2CE12DF3T-F

DS-2CE76D0T-ITPF(C)

DS-2CE76D0T-ITPFS

DS-2CE76D0T-ITMFS

DS-2CE76D3T-ITPF



Price (Rials)

۲۲,۵۰۰,۰۰۰

۱۹,۴۷۰,۰۰۰

۶,۷۶۰,۰۰۰

۹,۸۷۰,۰۰۰

۱۲,۶۰۰,۰۰۰

۱۲,۱۶۰,۰۰۰

Camera Type

Bullet

Bullet

Dome

Dome

Dome

Dome

Imaging Sensor

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Resolution

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.01Lux/F1.2

0.0005Lux/F1.0

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.005Lux/F1.2

Lens

2.8 - 12mm VariFocal

2.8 mm Fixed

2.8/3.6/6mm Fixed

2.8/3.6/6mm Fixed

2.8/3.6/6mm Fixed

2.8/3.6/6mm Fixed

Viewing Angle

102.25° - 32°

98°

103°/82.2° /54°

106°/79.6°

106.4°/79.6°/51.9°

106°/82° /51°

IR Range

Up to 40m

Up to 40m (Color Vu)

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 30m (EXIR)

Up to 30m(Exir)

Body Type

Metal &amp; Plastic

Metal

Plastic

Plastic

Metal

Plastic

IP Standard

IP66

IP67

IP66

IP66

IP67

IP66

OSD Menu

No

No

No

No

No

Yes

WDR

No

Yes (130db)

DWDR

DWDR

DWDR

Yes (120db)

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

ICR, BLC, Smart IR, Switchable

ICR, BLC, Smart IR, 3D DNR/2D DNR, Switchable

Smart IR, HLC,BLC, Switchable

Smart IR, HLC,BLC, Switchable

ICR,AGC, Switchable

Smart IR, HLC,BLC, Switchable

13

14

15

16

17

18

Click for More information

DS-2CE56D0T-VFIR3F


DS-2CE70DF0T-PF

DS-2CE16H0T-ITPFS

DS-2CE16H0T-ITF

DS-2CE17H0T-IT1F

DS-2CE17H0T-IT3F



Price (Rials)

۲۲,۵۰۰,۰۰۰

۱۴,۱۵۰,۰۰۰

۱۲,۹۷۰,۰۰۰

۱۲,۰۴۰,۰۰۰

۱۴,۰۳۰,۰۰۰

۱۴,۸۰۰,۰۰۰

Camera Type

Dome

Dome

Bullet

Bullet

Bullet

Bullet

Imaging Sensor

2 Megapixel

2 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

Resolution

HD1080P

HD1080P

5MP (2592\*1944)

5MP (2592\*1944)

5MP (2560\*1944)

5MP (2560\*1944)

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.01Lux/F1.2

0.001Lux/F1.0

0.01Lux/F1.2

0.01Lux/F1

0.01Lux/F1.2

0.01Lux/F1.2

Lens

2.8 - 12mm VariFocal

2.8/3.6/6mm Fixed

2.8/3.6/6mm Fixed

2.8/3.6/6mm Fixed

2.4/2.8/3.6mm Fixed

2.8/3.6/6mm Fixed

Viewing Angle

105°/ 32°

98°/76°/50°

85.5°/80.1°/57.1°

85.5°/80.1°/57.1°

110°/85°/80°

85°/80°/57°

IR Range

Up to 40m

Up to 20m (Color Vu)

Up to 25m (EXIR)

Up to 20m (EXIR)

Up to 30m

Up to 40m

Body Type

Metal &amp; Plastic

Plastic

Plastic

Metal

Metal &amp; Plastic

Metal &amp; Plastic

IP Standard

IP66

IP66

IP67

IP67

IP67

IP67

OSD Menu

No

No

No

Yes

No

No

WDR

DWDR

DWDR

DWDR

DWDR

DWDR

DWDR

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, ICR, AGC, Switchable

AGC, Switchable

Smart IR, HLC,BLC,AGC, 2D DNR, Switchable, Built in Mic

2D DNR, DWDR, Switchable

Smart IR, 2D DNR, HLC,BLC, Switchable

Smart IR, 2D DNR, HLC,BLC, Switchable

19

20

21

22

23

24

Click for More  
information

DS-2CE17H0T-IT3FS

DS-2CE17H0T-IT5F

DS-2CE56H0T-IT1F

DS-2CE56H0T-IT3ZF

DS-2CE76H0T-ITPF

DS-2CE76H0T-ITPFS



Price (Rials)

19,800,000

17,190,000

14,410,000

31,510,000

10,720,000

12,250,000

Camera Type

Bullet

Bullet

Dome

Dome

Dome

Dome

Imaging Sensor

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

Resolution

5MP (2560\*1944)

5MP (2560\*1944)

5MP (2560\*1944)

5MP (2560\*1944)

5MP (2560\*1944)

5MP (2560\*1944)

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.01Lux/F1.2

0.01Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

Lens

2.8mm Fixed

3.6/6/8mm Fixed

2.8/3.6/6mm Fixed

2.8 - 12mm Motorized

2.4/2.8/3.6mm Fixed

2.8/3.6/6mm Fixed

Viewing Angle

85°

80°/57°/41°

105°/85°/65°

105° - 32°

110°/85°/80°

85°/80°/57.1°

IR Range

Up to 40m

Up to 80m

Up to 20m (EXIR)

Up to 40m (EXIR)

Up to 20m (EXIR)

Up to 20m (EXIR)

Body Type

Metal &amp; Plastic

Metal &amp; Plastic

Metal &amp; Plastic

Metal

Plastic

Plastic

IP Standard

IP67

IP67

IP67

IP67

IP67

IP67

OSD Menu

No

No

Yes

Yes

No

No

WDR

DWDR

DWDR

DWDR

DWDR

DWDR

DWDR

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, 2D DNR,  
HLC,BLC, SwitchableSmart IR, 2D DNR,  
HLC,BLC, SwitchableSmart IR, ICR, AGC, BLC,  
SwitchableSmart IR, ICR, AGC, BLC,  
SwitchableSmart IR, ICR, AGC, BLC,  
HLCSmart IR, ICR, AGC, Built in  
Mic

25

26

27

28

29

Click for More  
information

DS-2CE76H0T-ITMF

DS-2CE78H0T-IT1F

DS-2CE78H0T-IT3F

DS-2CE18U8T-IT3

DS-2CE78U8T-IT3



Price (Rials)

۱۶,۲۱۰,۰۰۰

۱۶,۶۶۰,۰۰۰

۱۶,۷۸۰,۰۰۰

۵۳,۷۳۰,۰۰۰

۳۸,۵۷۰,۰۰۰

Camera Type

Dome

Dome

Dome

Bullet

Dome

Imaging Sensor

5 Megapixel

5 Megapixel

5 Megapixel

8.29 Megapixel

8.29 Megapixel

Resolution

5MP (2560\*1944)

5MP (2560\*1944)

5MP (2560\*1944)

8MP (3840\*2160)

8MP (3840\*2160)

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HD-TVI

HD-TVI

Min. Illustration

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.003 Lux/F1.2

0.003 Lux/F1.2

Lens

2.8/3.6/6mm Fixed

2.4 mm Fixed

2.8/3.6/6mm Fixed

2.8/3.6/6mm FIX

2.8/3.6/6mm FIX

Viewing Angle

105°/85°/65°

110°

85°/80°/57°

105°/85°/65°

105°/85°/65°

IR Range

Up to 30m (EXIR)

Up to 30m (EXIR)

Up to 40m (EXIR)

Up to 60m (EXIR)

Up to 60m (EXIR)

Body Type

Metal

Metal &amp; Plastic

Metal &amp; Plastic

Metal

Metal &amp; Plastic

IP Standard

IP67

IP67

IP67

IP67

IP67

OSD Menu

No

No

No

No

No

WDR

DWDR

DWDR

DWDR

Yes (120db)

Yes (120db)

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, ICR, AGC, BLC,  
SwitchableSmart IR, ICR, AGC,  
BLC,HLC, SwitchableSmart IR, ICR, AGC,HLC,  
BLC, Switchable

Smart IR, ICR, AGC, BLC

Smart IR, ICR

30

31

32

33

34

35

Click for More  
information

IDS-7204HQHI-M1/S

DS-7208HQHI-K1

IDS-7208HQHI-M1/S

DS-7216HQHI-K1

DS-7216HQHI-K2

DS-7232HQHI-K2



Price (Rials)

۲۹,۷۸۰,۰۰۰

۳۸,۳۷۰,۰۰۰

۴۶,۷۶۰,۰۰۰

۷۳,۵۵۰,۰۰۰

۸۷,۸۵۰,۰۰۰

۱۶۱,۴۲۰,۰۰۰

DVR Type

4+1 Ch. quadruple Hybrid  
HD-TVI /AHD/ Analog / IP8+4 Ch. quadruple Hybrid  
HD-TVI /AHD/ Analog / IP8+2 Ch. quadruple Hybrid  
HD-TVI /AHD/ Analog / IP16+2 Ch. quadruple Hybrid  
HD-TVI /AHD/ Analog / IP16+2 Ch. quadruple Hybrid  
HD-TVI /AHD/ Analog / IP32+2 Ch. quadruple Hybrid  
HD-TVI /AHD/ Analog / IP

Analog Video Input

4 Ch. HDTV/Analog  
Up to 4MP4 Ch. HDTV/Analog  
Up to 4MP8 Ch. HDTV/Analog  
Up to 4MP16 Ch. HDTV/Analog  
Up to 4MP16 Ch. HDTV/Analog  
Up to 4MP32 Ch. HDTV/Analog  
Up to 4MP

IP Video Input

1 Ch. Up to 6MP

4 Ch. Up to 6MP

2 Ch. Up to 6MP

2 Ch. Up to 6MP

2 Ch. Up to 6MP

2 Ch. Up to 6MP

Audio Input/Output

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

Recording

4MP: 15FPS  
3MP: 15FPS  
1080P: 15FPS4MP: 15FPS  
3MP: 15FPS  
1080P: 15FPS4MP: 15FPS  
3MP: 15FPS  
1080P: 15FPS4MP: 15FPS  
3MP: 15FPS  
1080P: 15FPS4MP: 15FPS  
3MP: 15FPS  
1080P: 15FPS4MP: 15FPS  
3MP: 15FPS  
1080P: 15FPS

Video Output

1 Port HDMI 1080P  
1 Port VGA,  
1Ch. CVBS1 Port HDMI 1080P  
1 Port VGA,  
1Ch. CVBS1 Port HDMI 1080P  
1 Port VGA,  
1Ch. CVBS1 Port HDMI : 4K  
1 Port VGA  
1Ch. CVBS1 Port HDMI : 4K  
1 Port VGA  
1Ch. CVBS1 Port HDMI : 4K  
1 Port VGA  
1Ch. CVBS

SATA Interface

1 HDD up to 10TB

1 HDD up to 10TB

1 HDD up to 10TB

1 HDD up to 10TB

2 HDD up to 10TB

2 HDD up to 10TB

Network Interface

1 RJ45 100M

1 RJ45 100M

1 RJ45 100M

1 RJ45 1000M

1 RJ45 1000M

1 RJ45 1000M

Chassis

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Other Features

H.265/H.265+  
Compression, ONVIF,  
Smart SearchH.265/H.265+  
Compression, ONVIF,  
Smart SearchH.265/H.265+  
Compression, ONVIF,  
Smart SearchH.265/H.265+  
Compression, ONVIF,  
VCA, Smart SearchH.265/H.265+  
Compression, ONVIF,  
VCA, Smart SearchH.265 Pro+/H.265  
Pro/H.265/ Compression,  
VCA

36

37

38

39

40

Click for More  
information

DS-7204HUHI-K1

DS-7204HUHI-K1/P

DS-7208HUHI-M1/S

IDS-7216HUHI-M2/S

DS-7316HUHI-F4/N



Price (Rials)

۴۰,۸۹۰,۰۰۰

۴۰,۷۴۰,۰۰۰

۷۴,۲۹۰,۰۰۰

۱۳۸,۶۹۰,۰۰۰

۲۷۰,۰۸۰,۰۰۰

DVR Type

4 +2 Ch. quadruple Hybrid  
HD-TVI /AHD/ Analog / IP4 +2 Ch. quadruple Hybrid  
HD-TVI /AHD/ Analog / IP8 + 4 Ch. quadruple Hybrid  
HD-TVI /AHD/ Analog / IP16 + 8 Ch. quadruple Hybrid  
HD-TVI /AHD/ Analog / IP16 + 2 Ch. quadruple Hybrid  
HD-TVI /AHD/ Analog / IP

Analog Video Input

Support  
Up to 5MP resolution  
recordingSupport  
Up to 5MP resolution  
recordingSupport  
Up to 5MP resolution  
recordingSupport  
Up to 5MP resolution  
recordingSupport  
Up to 3MP resolution  
recording

IP Video Input

2 Ch. Up to 8MP

2 Ch. Up to 8MP

4 Ch. Up to 8MP

8 Ch. Up to 8MP

2 Ch. Up to 8MP

Audio Input/Output

4Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

4Ch. In / 2Ch. Out

Recording

5MP: 12FPS  
4MP: 15FPS  
3mp: 18FPS5MP: 12FPS  
4MP: 15FPS  
3mp: 18FPS5MP: 30FPS  
4MP: 30FPS  
3mp: 30FPS5MP: 20FPS  
4MP: 25FPS  
3mp: 18FPS3MP: 15FPS  
2MP: 25FPS

Video Output

1 Port HDMI : 1080P  
1 Port VGA1 Port HDMI : 1080P  
1 Port VGA  
CVBS: PAL1 Port HDMI : 4K  
1 Port VGA1 Port HDMI : 4K  
1 Port VGA  
CVBS: PAL2 Port HDMI : 4K  
1 Port VGA  
CVBS: PAL

SATA Interface

1 HDD up to 10TB

1 HDD up to 10TB

1 HDD up to 10TB

2 HDD up to 10TB

4 HDD up to 6TB

Network Interface

1 RJ45 100M

1 RJ45 100M

1 RJ45 1000M

1 RJ45 1000M

2 RJ45 1000M

Chassis

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Other Features

H.265/H.265+ COMPR  
Alarm In/Out : 4/1  
Onvif, VCAH.265/H.265+ COMPR  
Alarm In/Out : 4/1  
Built-in PoCH.265 Pro+/H.265 Pro,  
OnvifH.265/H.265+ COMPR  
Alarm In/Out : N/AH.265/H.265+ COMPR  
Alarm In/Out : 16/4