

HiLock

لیست قیمت (سنه ۱۴۰۱)

تارتون دز آریانا

جهت اطلاع از تخفیف جشنواره هر محصول تماس بگیرید:

۰۲۱-۹۱۰۰۹۵۵۵

۰۹۹۳۰-۳۲۱۴۰۸۹۹



نمایندگی مرکزی محصولات هایلوک

	1	2	3	4	5	6
	IPC-B120	IPC-B120H	IPC-B121H	IPC-B121H-M	IPC-B140H	IPC-B140H-M
Hilook						
Price (Rials)	Call : ۹۱۰۰۹۵۵۵	۲۳,۵۷۰,۰۰۰	۱۹,۷۶۰,۰۰۰	Call : ۹۱۰۰۹۵۵۵	۲۵,۲۹۰,۰۰۰	Call : ۹۱۰۰۹۵۵۵
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Resolution	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	4 Megapixel	4 Megapixel
Lens	2.8mm Fix	2.8/4/6mm Fix	2.8mm Fix	2.8/4mm Fix	2.8/4/6mm Fix	2.8/4mm Fix
Viewing Angle	105°	103°/86°/54°	112.1°	112.1°/90.2°	103°/86°/54°	98°/78.7°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m EXIR	Up to 30m IR	Up to 30m IR
Body Type	-	Metal & Plastic	Plastic	Plastic	Metal & Plastic	Plastic
Standard	IP67	IP67	IP67	IP67	IP67	IP67
SD Card Support	No	No	No	No	No	No
WDR	No	No	Yes	DWDR	No	Yes
Microphone Support	No	No	No	No	No	No
POE	Yes	Yes	Yes	Yes	Yes	Yes
Other Features	3D DNR, BLC, H.264+	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

	7	8	9	10	11	12
	IPC-B150H	IPC-B220	IPC-B220-D	IPC-T120	IPC-T120-D	IPC-T220
HiLook						
Price (Rials)	۲۲,۸۰۰,۰۰۰	۲۰,۲۸۰,۰۰۰	۱۹,۳۷۰,۰۰۰	۱۹,۷۶۰,۰۰۰	۱۸,۹۷۰,۰۰۰	۲۲,۳۵۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Dome	Dome	Dome
Resolution	5 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8/4mm Fix	4mm Fix	4mm Fix	2.8/4/6mm Fix	2.8mm Fix	2.8/4/6mm Fix
Viewing Angle	98°/75.3°	86°	86°	103°/86°/54°	105°	103°/86°/54°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 10m IR	Up to 10m IR	Up to 30m IR
Body Type	Plastic	-	-	Plastic	-	Metal & Plastic
Standard	IP67	IP67	IP67	IP67	IP67	IP67
SD Card Support	No	No	No	No	No	No
WDR	Yes	DWDR	No	No	No	Yes
Microphone Support	No	No	No	No	No	No
POE	Yes	Yes	No	Yes	No	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.264, 3D DNR, BLC	H.264, 3D DNR, BLC	Supports Hik-Connect , BLC, H.264+	3D DNR, H.264+	Supports Hik-Connect ,3D DNR, BLC, H.264+

	13	14	15	16	17	18
	IPC-T220-H	IPC-T221-H	IPC-T240H	IPC-D120	IPC-D120H	IPC-D121H
HiLook						
Price (Rials)	۲۲,۶۱۰,۰۰۰	۱۰,۸۰۰,۰۰۰	۲۷,۰۰۰,۰۰۰	۲۲,۹۲۰,۰۰۰	Call: ۹۱۰۰۹۵۵۵	۱۹,۷۶۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome	Dome	Dome
Resolution	2 Megapixel	2 Megapixel	4 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8/4/6mm Fix	2.8/4mm Fix	2.8/4/6mm Fix	2.8mm Fix	2.8/4/6mm Fix	2.8/4mm Fix
Viewing Angle	103°/86°/54°	105°/81°	103°/86°/54°	105°	103°/86°/54°	112.1°/90.2°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR
Body Type	Metal & Plastic	Metal & Plastic	Metal & Plastic	-	Metal & Plastic	Metal & Plastic
Standard	IP67	IP67	IP67	IP67 & IK10	IP67 & IK10	IP67 & IK10
SD Card Support	Yes	No	No	No	No	No
WDR	No	DWDR	No	No	No	DWDR
Microphone Support	No	No	No	No	No	No
POE	Yes	Yes	Yes	Yes	Yes	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	3D DNR BLC, H.264+	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

	19	20	21	22	23	24
	IPC-D121H-M	IPC-D140H	IPC-D150H	IPC-B620H-V	IPC-B620H-Z	IPC-B621-V
HiLook						
Price (Rials)	۱۸,۲۹۰,۰۰۰	۲۹,۱۷۰,۰۰۰	۳۵,۲۹۰,۰۰۰	۴۱,۲۶۰,۰۰۰	۴۶,۲۴۰,۰۰۰	۳۹,۹۱۰,۰۰۰
Camera Type	Dome	Dome	Dome	Bullet	Bullet	Bullet
Resolution	2 Megapixel	4 Megapixel	5 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8/4mm Fix	2.8/4/6mm Fix	2.8/4mm Fix	2.8-12mm Varifocal	2.8-12mm Motorized	2.8-12mm Varifocal
Viewing Angle	112.1°/90.2°	103°/86°/54°	98°/75.3°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR
Body Type	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic
Standard	IP67 & IK10	IP67 & IK10	IP67 & IK10	IP67	IP67	IP66
SD Card Support	No	No	No	Yes	Yes	Yes
WDR	DWDR	No	Yes	No	No	DWDR
Microphone Support	No	No	No	No	No	Yes
POE	Yes	Yes	Yes	Yes	Yes	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

	25	26	27	28	29	30
	IPC-B621-Z	IPC-B640H-V	IPC-B640H-Z	IPC-T620-Z	IPC-D620H-V	IPC-D620H-Z
HiLook						
Price (Rials)	۳۰,۴۰۰,۰۰۰	۲۹,۸۰۰,۰۰۰	۵۱,۳۷۰,۰۰۰	۴۶,۶۳۰,۰۰۰	۴۱,۲۶۰,۰۰۰	۵۰,۰۸۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Dome	Dome	Dome
Resolution	2 Megapixel	4 Megapixel	4 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8-12mm Motorized	2.8-12mm Varifocal	2.8-12mm Motorized	2.8-12mm Motorized	2.8-12mm Varifocal	2.8-12mm Motorized
Viewing Angle	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR
Body Type	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal	-
Standard	IP66	IP67	IP67	IP67	IP67 & IK10	IP67 & IK10
SD Card Support	Yes	Yes	Yes	No	No	No
WDR	DWDR	Yes	Yes	Yes	No	No
Microphone Support	Yes	No	No	No	No	No
POE	Yes	Yes	Yes	Yes	Yes	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.264+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

31

32

IPC-D640H-V

IPC-D640H-Z

Hilook**Price (Rials)**

۴۴,۸۱۰,۰۰۰

Call: ۹۱۰۰۹۸۸۸

Camera Type

Dome Dome

Resolution

4 Megapixel 4 Megapixel

Lens

2.8-12mm Varifocal 2.8-12mm Varifocal

Viewing Angle

111.5°-33.4° 111.5°-33.4°

IR Range

Up to 30m IR Up to 30m IR

Body Type

Metal Metal

Standard

IP67 & IK10 IP67 & IK10

SD Card Support

Yes Yes

WDR

Yes Yes

Microphone Support

No No

POE

Yes Yes

Other FeaturesH.265+, 3D DNR, BLC,
Supports Hik-Connect

33

34

35

PTZ-N4215-DE3**PTZ-N4215I-DE****PTZ-N4225I-DE****HiLook**

Price (Rials)	Call: ۹۱۰۰۹۸۸۸	۷۹,۰۰,۰۰۰	۹۹,۴۰,۰۰۰
Camera Type	PTZ	PTZ	PTZ
Resolution	2 Megapixel	2 Megapixel	2 Megapixel
Lens	5-75mm Varifocal	5-75mm Varifocal	4.8-120mm Varifocal
Viewing Angle	15x	15x	25x
IR Range	-	Up to 100m IR	Up to 100m IR
Body Type	-	-	-
Standard	-	IP66	IP66
SD Card Support	Yes	Yes	Yes
WDR	Yes	Yes	Yes
Microphone Support	No	No	No
POE	Yes	Yes	Yes
Other Features	H.265+, 3D DNR, BLC,	H.265+, 3D DNR, BLC	H.265+, 3D DNR, BLC

	36	37	38	39	40	41
	NVR-104-B	NVR-108-B	NVR-108-B/8P	NVR-104H-D	NVR-108H-D	NVR-104MH-C
HiLook						
Price (Rials)	۱۶,۳۶۰,۰۰۰	۱۹,۹۲۰,۰۰۰	۲۰,۴۹۰,۰۰۰	۱۵,۵۳۰,۰۰۰	۲۱,۷۵۰,۰۰۰	۲۶,۷۷۰,۰۰۰
NVR Type	4-ch	8-ch	8-ch	4-ch	8-ch	4-ch
Input BandWidth	40Mbps	40Mbps	60Mbps	40Mbps	60Mbps	40Mbps
Output Bandwidth	40Mbps	40Mbps	40Mbps	60Mbps	60Mbps	80Mbps
Resolution Support	8 Megapixel	8 Megapixel	8 Megapixel	4 Megapixel	4 Megapixel	8 Megapixel
Video Output	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP
POE Ports	-	-	8 ch POE	-	-	-
Compression Standard	H.264+	H.264+	H.264+	H.265+	H.265+	H.265+
SATA Interface	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB
Other Features	Supports multiple VCA, Smart search, Smart playback	Supports multiple VCA, Smart search, Smart playback	Supports multiple VCA, Smart search, Smart playback	Supports multiple, Smart search, Smart playback	Supports multiple, Smart search, Smart playback	VCA detection alarm, Smart search, Smart playback

42	43	44	45	46	47
NVR-104MH-C/4P	NVR-104MH-D	NVR-104MH-D/4P	NVR-108MH-C	NVR-108M-C/8P	NVR-108MH-D

Hilook



Price (Rials)	Call: ۹۱۰۰۹۵۵۵	۱۹,۲۱۰,۰۰۰	۳۰,۶۷۰,۰۰۰	۳۵,۷۳۰,۰۰۰	Call: ۹۱۰۰۹۵۵۵	۲۴,۵۰۰,۰۰۰
NVR Type	4-ch	4-ch	4-ch	8-ch	8-ch	8-ch
Input BandWidth	40Mbps	40Mbps	40Mbps	80Mbps	80Mbps	60Mbps
Output Bandwidth	80Mbps	80Mbps	80Mbps	80Mbps	80Mbps	40Mbps
Resolution Support	8 Megapixel	4 Megapixel	4 Megapixel	8 Megapixel	8 Megapixel	8 Megapixel
Video Output	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 1080P 1 Port VGA : 1080P
POE Ports	4 ch POE	-	4 ch POE	-	8 ch POE	-
Compression Standard	H.265+	H.265+	H.265+	H.265+	H.265+	H.264+
SATA Interface	1 HDD up to 6TB	1 HDD up to 6TB				
Other Features	VCA detection alarm, Smart search, Smart playback	Support multiple VCA (Video Content Analytics) events	VCA detection alarm, Smart search, Smart playback			

48

49

50

51

52

NVR-108MH-D/8P**NVR-116MH-C****NVR-208MH-C****NVR-216MH-C****NVR-216MH-C/16P****Hilook**

Price (Rials)	۳۷,۰۰۰,۰۰۰	۴۷,۱۵۰,۰۰۰	۴۲,۱۷۰,۰۰۰	Call : ۹۱۰۰۹۵۵۵	Call : ۹۱۰۰۹۵۵۵
NVR Type	8-ch	16-ch	8-ch	16-ch	16-ch
Input BandWidth	60Mbps	80Mbps	80Mbps	160Mbps	160Mbps
Output Bandwidth	60Mbps	160Mbps	80Mbps	80Mbps	80Mbps
Resolution Support	4 Megapixel	8 Megapixel	8 Megapixel	8 Megapixel	8 Megapixel
Video Output	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP
POE Ports	8 ch POE	-	-	-	16 ch POE
Compression Standard	H.265+	H.265+	H.265+	H.265+	H.265+
SATA Interface	1 HDD up to 6TB	1 HDD up to 6TB	2 HDD up to 6TB	2 HDD up to 6TB	2 HDD up to 6TB
Other Features	VCA detection alarm, Smart search, Smart playback				